

**Snow Sampling Field Sheet**

<b>Area:</b> 8000	<b>No:</b> ENVI-177-0312
<b>Effective Date:</b> 26-MAR-2012	<b>Revision:</b> R8
<b>Task:</b> Snow Sampling Field Sheet	<b>By:</b> Dianne Dul
<b>Page:</b> <u>1</u> of <u>2</u>	

**GENERAL**

LOCATION NAME: SSC-1-5      DATE (yyyy-mm-dd): 2012-04-05      TIME (24:00): 12:36

SAMPLED BY: MW SS2 LC      TYPE OF SAMPLE: Dust  Water Quality       QAQC: -5 Dup

GPS COORDINATES (UTM): 534941      E 7144103      N (Zone) 12      NAD 83

DESCRIPTION: Distance to Diavik \_\_\_\_\_ km & Direction \_\_\_\_\_ On: Land  &/or Lake

**CLIMATE CONDITIONS (if sampling outside)**

Air Temp: -18 °C      Wind Direction: 348 N      Wind Speed (knots): 10

Precipitation: Rain / Mist / Snow / Ice / None      Cloud Cover: 0% / 10% / 25% / 50% / 75% / 100%  
 Dust in area: Visible  Not Visible       Snow Condition: Crystallized  Packed  Wet  Dry

Dust Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1							
2							Y <u>N</u>	
3							Y <u>N</u>	
4							Y <u>N</u>	
<b>Dust (Min. of 3 cores – Total Water Content SWE =&gt; 25)</b>								
Water Quality Cores	1	46	46	52	39	13	Y <u>N</u>	bag 1 weigh.
	2	38	29	48	39	9	Y <u>N</u>	
	3	43	26	48	39	9	Y <u>N</u>	
	4	45	29	47	39	8	Y <u>N</u>	
	5	44	29	48	39	9	Y <u>N</u>	
	6	45	30	48	39	9	Y <u>N</u>	
	7	41	26	47	39	8	Y <u>N</u>	Bag 2 weigh.
	8	45	25	48	39	9	Y <u>N</u>	
	9	41	41	50	39	11	Y <u>N</u>	
	10	45	30	48	39	9	Y <u>N</u>	
	11	40	32	47	39	8	Y <u>N</u>	
	12							Y <u>N</u>
<b>Water Quality (Min. of 3 cores – Total Water Content SWE =&gt; 100)</b>								

\*\*\* Water Content <sub>SWE</sub> = Wt. of Tube & Core <sub>SWE</sub> – Wt. of Empty Tube <sub>SWE</sub> \*\*\*

Snow Sampling Field Sheet			
Area:	8000	No:	ENVI-177-0312
Effective Date:	26-MAR-2012	Revision:	R7
Task:	Snow Sampling Field Sheet	By:	D. Dul
		Page:	2 of 2

**Dust Sample Filters**

Total Volume of Melted Snow : \_\_\_\_\_ (mL)

Filter #	Weight of Filter (mg)	Filter + Residue (mg)	Residue Weight (mg)	Comments
1				
2				
3				
4				
<b>Totals</b>				

**Water Quality Bottles**

Total Volume of Melted Snow : <sup>2060 + 1145</sup> \_\_\_\_\_ (mL)  
3205

Filling Order	Analysis	Bottle Type	Triple Rinse	Preserve	Sample Type *	Sample Type *	Sample Type *	Sample Comments DI Batch # for QAQC, Location preserved if not in field, label changes
					DUPW2			
1	Metals Total	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Metals Dissolved	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Total Mercury	40 mL clear glass (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Nutrients	120 mL plastic (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5	Routine	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	TSS/Turb/pH	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Sample Type: GW, DUPW1/DUPW2, FBW, TBW, EBW, REP1/ REP2, Filter Blank

*perchlorate*

(Y)

✓

Additional Comments

**Snow Sampling Field Sheet**

<b>Area:</b> 8000	<b>No:</b> ENVI-177-0312
<b>Effective Date:</b> 26-MAR-2012	<b>Revision:</b> R8
<b>Task:</b> Snow Sampling Field Sheet	<b>By:</b> Dianne Dul
<b>Page:</b> <u>1</u> of <u>2</u>	

**GENERAL**

LOCATION NAME: SSC-2      DATE (yyyy-mm-dd): 2012-04-06      TIME (24:00): 9:48

SAMPLED BY: MW SS2-LC      TYPE OF SAMPLE: Dust  Water Quality  QAQC: \_\_\_\_\_

GPS COORDINATES (UTM): 0528718      E 7153309      N (Zone) 12      NAD 83

DESCRIPTION: Distance to Diavik \_\_\_\_\_ km & Direction \_\_\_\_\_ On: Land  &/or Lake

**CLIMATE CONDITIONS (if sampling outside)**

Air Temp: -26 °C      Wind Direction: 110 <sup>E</sup>      Wind Speed (knots): 3

Precipitation: Rain / Mist / Snow / Ice / None      Cloud Cover: 0% / 10% / 25% / 50% / 75% / 100%

Dust in area: Visible  Not Visible       Snow Condition: Crystallized  Packed  Wet  Dry

Dust Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1	67	54	55	39	116	Y (N)	weigh.
2	67	67	62	39	23	Y (N)		
3	63	46	54	39	18	Y (N)		
4						Y N		
<b>Dust (Min. of 3 cores – Total Water Content SWE =&gt; 25)</b>								
Water Quality Cores	1	65	56	68	39	29	Y (N)	reweigh.
	2	75	70	62	39	23	Y (N)	
	3	65	59	59	39	20	Y (N)	New bag reweigh.
	4	73	65	63	39	24	Y (N)	
	5	63	52	57	39	18	Y (N)	
	6						Y N	
	7						Y N	
	8						Y N	
	9						Y N	
	10						Y N	
	11						Y N	
	12						Y N	
<b>Water Quality (Min. of 3 cores – Total Water Content SWE =&gt; 100)</b>								

\*\*\* Water Content <sub>SWE</sub> = Wt. of Tube & Core <sub>SWE</sub> – Wt. of Empty Tube <sub>SWE</sub> \*\*\*

52  
72  
98  
114

Snow Sampling Field Sheet			
Area:	8000	No:	ENVI-177-0312
Effective Date:	26-MAR-2012	Revision:	R7
Task:	Snow Sampling Field Sheet	By:	D. Dul
		Page:	2 of 2

**Dust Sample Filters**

Total Volume of Melted Snow : 1735 (mL)

Filter #	Weight of Filter (mg)	Filter + Residue (mg)	Residue Weight (mg)	Comments
1	117.3	152.4	35.1	
2				
3				
4				
<b>Totals</b>	117.3	152.4	35.1	

**Water Quality Bottles**

Total Volume of Melted Snow : 1900 + 1310 (mL)

3210

Filling Order	Analysis	Bottle Type	Triple Rinse	Preserve	Sample Type *	Sample Type *	Sample Type *	Sample Comments DI Batch # for QAQC, Location preserved if not in field, label changes
					GW			
1	Metals Total	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Metals Dissolved	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Total Mercury	40 mL clear glass (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Nutrients	120 mL plastic (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5	Routine	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	TSS/Turb/pH	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Sample Type: GW, DUPW1/DUPW2, FBW, TBW, EBW, REP1/ REP2, Filter Blank

*perchlorate*

(Y)

✓

Additional Comments

**Snow Sampling Field Sheet**

<b>Area:</b> 8000	<b>No:</b> ENVI-177-0312
<b>Effective Date:</b> 26-MAR-2012	<b>Revision:</b> R8
<b>Task:</b> Snow Sampling Field Sheet	<b>By:</b> Dianne Dul
<b>Page:</b> <u>1</u> of <u>2</u>	

**GENERAL**

LOCATION NAME: SSC - 3      DATE (yyyy-mm-dd): 2012-04-05      TIME (24:00): 10:32

SAMPLED BY: LC, SS2, MN      TYPE OF SAMPLE: Dust  Water Quality  QAQC: -

GPS COORDINATES (UTM): 0538640 E 7148762 N (Zone) 12 NAD 83

DESCRIPTION: Distance to Diavik \_\_\_\_\_ km & Direction \_\_\_\_\_ On: Land  &/or Lake

**CLIMATE CONDITIONS (if sampling outside)**

Air Temp: -19 °C      Wind Direction: 330° NW      Wind Speed (knots): 8

Precipitation: Rain / Mist / Snow / Ice / None      Cloud Cover: 0% 10% / 25% / 50% / 75% / 100%  
 Dust in area: Visible  Not Visible       Snow Condition: Crystallized  Packed  Wet  Dry

*control site wq.*

Dust Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1	24	23	45	39	6.0	Y N	Some veg left in snow
2	29	26	46	↓	7.0	Y N		
3	33	29	47	↓	8.0	Y N		
4	33	24.5	45	↓	6.0	Y N		

**Dust (Min. of 3 cores – Total Water Content SWE => 25)**

Water Quality Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1	27	20	44	39	5	Y N	Reweigh bag 1
2	26	24	45	39	6	Y N		
3	23	20	43	39	4	Y N		
4	29	22	43	39	4	Y N		
5	30	29	46	39	7	Y N	grass.	
6	32	32	46	39	7	Y N	grass	
7	30	30	45	39	6	Y N	grass.	
8	42	32	46	39	7	Y N		
9	44	31	42	39	8	Y N		
10	40	35	47	39	8	Y N	reweigh. for	
11	44	35	47	39	8	Y N		
12	47	36	47	39	8	Y N	bag 2, let	

**Water Quality (Min. of 3 cores – Total Water Content SWE => 100)**

*** Water Content SWE	= Wt. of Tube & Core SWE	- Wt. of Empty Tube SWE	***
3641	4135	39	24
35	25	39	10
37	31	39	98
35	30	39	105

**Snow Sampling Field Sheet**

<b>Area:</b>	8000	<b>No:</b>	ENVI-177-0312
<b>Effective Date:</b>	26-MAR-2012	<b>Revision:</b>	R7
<b>Task:</b>	Snow Sampling Field Sheet	<b>By:</b>	D. Dul
		<b>Page:</b>	<u>2</u> of <u>2</u>

**Dust Sample Filters**

Total Volume of Melted Snow : 840 (mL)

Filter #	Weight of Filter (mg)	Filter + Residue (mg)	Residue Weight (mg)	Comments
1	108.9	158.7	49.8	vegetation filtered out
2				
3				
4				
<b>Totals</b>	108.9	158.7	49.8	

**Water Quality Bottles**

Total Volume of Melted Snow : 2485+1325  
3810 (mL)

Filling Order	Analysis	Bottle Type	Triple Rinse	Preserve	Sample Type *	Sample Type *	Sample Type *	Sample Comments <u>DI Batch # for QAQC</u> , Location preserved if not in field, label changes
					GW			
1	Metals Total	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	some vegetation in sample
2	Metals Dissolved	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	"
3	Total Mercury	40 mL clear glass (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	"
4	Nutrients	120 mL plastic (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	"
5	Routine	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	"
6	TSS/Turb/pH	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	"

\*Sample Type: GW, DUPW1/DUPW2, FBW, TBW, EBW, REP1/ REP2, Filter Blank

*perchlorate*

(Y)

✓

"

"

**Additional Comments**


Snow Sampling Field Sheet			
Area: 8000	No: ENVI-177-0312		
Effective Date: 26-MAR-2012	Revision: R8		
Task: Snow Sampling Field Sheet	By: Dianne Dul		
		Page: <u>1</u> of <u>2</u>	

**GENERAL**

LOCATION NAME: FFA-4 <sup>labelled SSC-7 on bags.</sup> DATE (yyyy-mm-dd): 2019-05-08 TIME (24:00): 1601

SAMPLED BY: LCNG TYPE OF SAMPLE: Dust  Water Quality  QAQC: \_\_\_\_\_

GPS COORDINATES (UTM): 503724 E 7154100 N (Zone) \_\_\_\_\_ NAD 83

DESCRIPTION: Distance to Diavik 32 km & Direction \_\_\_\_\_ On: Land  &/or Lake

**CLIMATE CONDITIONS (if sampling outside)**

Air Temp: 0 °C Wind Direction: SE Wind Speed (knots): 5

Precipitation: Rain / Mist / Snow / Ice / None  Cloud Cover: 0% / 10% / 25% / 50% / 75% / 100%

Dust in area: Visible  Not Visible  Snow Condition: Crystallized  Packed  Wet  Dry

Dust Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1	<u>42</u>	<u>41</u>	<u>51</u>	<u>39</u>		Y <u>N</u>	
2	<u>41</u>	<u>40</u>	<u>52</u>			Y <u>N</u>		
3	<u>43</u>	<u>42</u>	<u>53</u>			Y <u>N</u>		
4						Y <u>N</u>		
Dust (Min. of 3 cores – Total Water Content SWE => 25)								<u>31 SWE</u>
Water Quality Cores	1	<u>44</u>	<u>43</u>	<u>52</u>	<u>39</u>		Y <u>N</u>	} <u>bag 1</u>
	2	<u>45</u>	<u>42</u>	<u>52</u>			Y <u>N</u>	
	3	<u>46</u>	<u>45</u>	<u>53</u>			Y <u>N</u>	
	4	<u>45</u>	<u>45</u>	<u>54</u>			Y <u>N</u>	
	5	<u>46</u>	<u>46</u>	<u>55</u>			Y <u>N</u>	
	6	<u>46</u>	<u>46</u>	<u>54</u>			Y <u>N</u>	
	7	<u>45</u>	<u>45</u>	<u>55</u>	<u>39</u>		Y <u>N</u>	
	8	<u>47</u>	<u>47</u>	<u>55</u>			Y <u>N</u>	
	9	<u>46</u>	<u>46</u>	<u>56</u>			Y <u>N</u>	
	10	<u>50</u>	<u>48</u>	<u>55</u>			Y <u>N</u>	
	11	<u>50</u>	<u>49</u>	<u>56</u>			Y <u>N</u>	
	12	<u>40</u>	<u>36</u>	<u>50</u>			Y <u>N</u>	
Water Quality (Min. of 3 cores – Total Water Content SWE => 100)								<u>109 SWE</u>

\*\*\* Water Content<sub>SWE</sub> = Wt. of Tube & Core<sub>SWE</sub> – Wt. of Empty Tube<sub>SWE</sub> \*\*\*

Snow Sampling Field Sheet			
Area:	8000	No:	ENVI-177-0312
Effective Date:	26-MAR-2012	Revision:	R7
Task:	Snow Sampling Field Sheet	By:	D. Dul
		Page:	2 of 2

**Dust Sample Filters**

Total Volume of Melted Snow : 1195 (mL)

Filter #	Weight of Filter (mg)	Filter + Residue (mg)	Residue Weight (mg)	Comments
1	124.2	129.5	5.3	
2				
3				
4				
<b>Totals</b>	124.2	129.5	5.3	

**Water Quality Bottles**

Total Volume of Melted Snow : 5105 (mL)

Filling Order	Analysis	Bottle Type	Triple Rinse	Preserve	Sample Type *	Sample Type *	Sample Type *	Sample Comments <u>DI Batch # for QAQC</u> , Location preserved if not in field, label changes
					GW			
1	Metals Total	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Metals Dissolved	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Total Mercury	40 mL clear glass (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Nutrients	120 mL plastic (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5	Routine	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	TSS/Turb/pH	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Sample Type: GW, DUPW1/DUPW2, FBW, TBW, EBW, REP1/ REP2, Filter Blank

Perchl. ✓

Additional Comments
Extra snow core during AEMP



Snow Sampling Field Sheet			
Area: <u>8000</u>	No: <u>ENVI-177-0312</u>		
Effective Date: <u>26-MAR-2012</u>	Revision: <u>R8</u>		
Task: <u>Snow Sampling Field Sheet</u>	By: <u>Dianne Dul</u>		
		Page: <u>1</u> of <u>2</u>	

**GENERAL** "FFB 4 Snowcore" on bottles

LOCATION NAME: SSC-6 DATE (yyyy-mm-dd): 2019-05-05 TIME (24:00): 10:58

SAMPLED BY: SSR LC MN TYPE OF SAMPLE: Dust  Water Quality  QAQC: \_\_\_\_\_

GPS COORDINATES (UTM): 0515668 E 7150029 N (Zone) 12 NAD 83

DESCRIPTION: Distance to Diavik \_\_\_\_\_ km & Direction \_\_\_\_\_ On: Land  &/or Lake

**CLIMATE CONDITIONS (if sampling outside)**

Air Temp: -9 °C Wind Direction: variable Wind Speed (knots): 3

Precipitation: Rain / Mist / Snow / Ice / None Cloud Cover: 0% / 10% / 25% / 50% / 75% / 100%

Dust in area: Visible  Not Visible  Snow Condition: Crystallized  Packed  Wet  Dry

Dust Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1	38	37	50	39	"	Y (N)	weigh
2	38	37	50	39	"	Y (N)		
3	38	36	50	39	"	Y (N)		
4						Y N		
<b>Dust (Min. of 3 cores – Total Water Content SWE =&gt; 25)</b>								
Water Quality Cores	1	40	35	50	39	"	Y (N)	weigh
	2	38	36	50	39	"	Y (N)	
	3	38	38	50	39	"	Y (N)	
	4	38	35	50	39	"	Y (N)	
	5	38	36	50	39	"	Y (N)	
	6	37	35	50	39	"	Y (N)	reweigh, new bag
	7	37	35	49	39	10	Y (N)	
	8	35	34	49	39	10	Y (N)	
	9	35	34	49	39	10	Y (N)	
	10	35	32	49	39	10	Y (N)	
	11						Y N	
	12						Y N	
<b>Water Quality (Min. of 3 cores – Total Water Content SWE =&gt; 100)</b>								

\*\*\* Water Content <sub>SWE</sub> = Wt. of Tube & Core <sub>SWE</sub> – Wt. of Empty Tube <sub>SWE</sub> \*\*\*

Snow Sampling Field Sheet			
Area:	8000	No:	ENVI-177-0312
Effective Date:	26-MAR-2012	Revision:	R7
Task:	Snow Sampling Field Sheet	By:	D. Dul
		Page:	2 of 2

**Dust Sample Filters**

Total Volume of Melted Snow : 995 (mL)

Filter #	Weight of Filter (mg)	Filter + Residue (mg)	Residue Weight (mg)	Comments
1	123.4	145.3	21.9	
2				
3				
4				
<b>Totals</b>	123.4	145.3	21.9	

**Water Quality Bottles**

Total Volume of Melted Snow : 3150 (mL)

Filling Order	Analysis	Bottle Type	Triple Rinse	Preserve	Sample Type *	Sample Type *	Sample Type *	Sample Comments <u>DI Batch # for QAQC</u> , Location preserved if not in field, label changes
					GW			
1	Metals Total	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Metals Dissolved	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Total Mercury	40 mL clear glass (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Nutrients	120 mL plastic (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5	Routine	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	TSS/Turb/pH	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Sample Type: GW, DUPW1/DUPW2, FBW, TBW, EBW, REP1/ REP2, Filter Blank

Perchl. ✓

✓

✓

Additional Comments
Extra snowcore during AEMP.

Snow Sampling Field Sheet			
Area: 8000	No: ENVI-177-0312		
Effective Date: 26-MAR-2012	Revision: R8		
Task: Snow Sampling Field Sheet	By: Dianne Dul		
		Page: 1	of 2

**GENERAL**

LOCATION NAME: FFI-2. SSC-5 DATE (yyyy-mm-dd): 2019-05-04 TIME (24:00): 17:11  
 SAMPLED BY: MN 552 LC TYPE OF SAMPLE: Dust  Water Quality  QAQC: \_\_\_\_\_  
 GPS COORDINATES (UTM): 526547 E 7159040 N (Zone) 12 N NAD 83  
 DESCRIPTION: Distance to Diavik \_\_\_\_\_ km & Direction \_\_\_\_\_ On: Land  &/or Lake

**CLIMATE CONDITIONS (if sampling outside)**

Air Temp: -12 °C Wind Direction: SE Wind Speed (knots): 11  
 Precipitation: Rain / Mist / Snow / Ice / None Cloud Cover: 0% / 10% / 25% / 50% / 75% / 100%  
 Dust in area: Visible  Not Visible  Snow Condition: Crystallized  Packed  Wet  Dry

Dust Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1	40	31	47	39	8	Y <u>N</u>	core weigh
2	40	40	50	39	11	Y <u>N</u>		
3	40	40	50	39	11	Y <u>N</u>		
4						Y N		
<b>Dust (Min. of 3 cores – Total Water Content SWE =&gt; 25)</b>								
Water Quality Cores	1	40	40	<del>39</del> 49	39	10	Y <u>N</u>	reweigh
	2	40	40	50	39	11	Y <u>N</u>	
	3	40	40	49	39	10	Y <u>N</u>	
	4	40	40	48	39	9	Y <u>N</u>	
	5	41	40	50	39	11	Y <u>N</u>	
	6	41	40	50	39	11	Y <u>N</u>	reweigh
	7	41	40	50	39	11	Y <u>N</u>	
	8	41	38	49	39	10	Y <u>N</u>	
	9	41	37	49	39	10	Y <u>N</u>	
	10	41	40	50	39	11	Y <u>N</u>	
	11						Y N	
	12						Y N	
<b>Water Quality (Min. of 3 cores – Total Water Content SWE =&gt; 100)</b>								

\*\*\* Water Content <sub>SWE</sub> = Wt. of Tube & Core <sub>SWE</sub> – Wt. of Empty Tube <sub>SWE</sub> \*\*\*

Snow Sampling Field Sheet			
Area:	8000	No:	ENVI-177-0312
Effective Date:	26-MAR-2012	Revision:	R7
Task:	Snow Sampling Field Sheet	By:	D. Dul
		Page:	2 of 2

**Dust Sample Filters**

Total Volume of Melted Snow : 950 (mL)

Filter #	Weight of Filter (mg)	Filter + Residue (mg)	Residue Weight (mg)	Comments
1	123.3	134.0	10.7	
2				
3				
4				
<b>Totals</b>	123.3	134.0	10.7	

**Water Quality Bottles**

Total Volume of Melted Snow : 3235 (mL)

Filling Order	Analysis	Bottle Type	Triple Rinse	Preserve	Sample Type *	Sample Type *	Sample Type *	Sample Comments <u>DI Batch # for QAQC</u> , Location preserved if not in field, label changes
					GW			
1	Metals Total	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Metals Dissolved	60 mL Falcon Tube	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Total Mercury	40 mL clear glass (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Nutrients	120 mL plastic (pre-preserved)	N	(Y)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5	Routine	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	TSS/Turb/pH	1000 mL plastic	(Y)	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Sample Type: GW, DUPW1/DUPW2, FBW, TBW, EBW, REP1/ REP2, Filter Blank

*Perchl.*

✓

✓

Additional Comments
<i>Extra snowcore during AEMP</i>

Snow Sampling Field Sheet			
		No:	ENVI-177-0312
Area:	8000	Revision:	R8
Effective Date:	26-MAR-2012	By:	Dianne Dul
Task:	Snow Sampling Field Sheet		Page: <u>1</u> of <u>2</u>

**GENERAL**

LOCATION NAME: ~~AD5-1~~ <sup>35C-4 @ LVS-1</sup> DATE (yyyy-mm-dd): 2019-04-26 TIME (24:00): 13:11

SAMPLED BY: MN GC TYPE OF SAMPLE: Dust  Water Quality  QAQC: \_\_\_\_\_

GPS COORDINATES (UTM): 546443 E 7161147 N (Zone) 12 NAD 83

DESCRIPTION: Distance to Diavik \_\_\_\_\_ km & Direction \_\_\_\_\_ On: Land  &/or Lake

**CLIMATE CONDITIONS (if sampling outside)**

Air Temp: -19 °C Wind Direction: W Wind Speed (knots): 5

Precipitation: Rain / Mist / Snow / Ice / (None)  
 Dust in area: Visible  Not Visible

Cloud Cover: 0% / 10% / 25% / 50% / (75%) / 100%  
 Snow Condition: Crystallized  Packed  Wet  Dry

Dust Cores	Core Number	Depth of Snow (cm)	Length of Snow Core (cm)	Weight of Tube & Core-SWE (cm)	Weight of Empty Tube-SWE (cm)	Water Content-SWE (cm)	Dust Present Yes/No	Comments (core weighed, bag #, changes in snow condition)
	1	<u>51</u> <u>51</u>	<u>49</u> <u>50</u>	<u>55</u> <u>56</u>	<u>39</u>	<u>16</u> <u>17</u>	Y <u>(N)</u>	<u>weigh.</u>
2	<u>49</u>	<u>49</u>	<u>55</u>	<u>39</u>	<u>16</u>	Y N		
3						Y N		
4						Y N		
<b>Dust (Min. of 3 cores – Total Water Content SWE =&gt; 25)</b>								
Water Quality Cores	1	<u>53</u>	<u>51</u>	<u>56</u>	<u>39</u>	<u>17</u>	Y <u>(N)</u>	<u>weigh.</u>
	2	<u>54</u>	<u>51</u>	<u>57</u>		<u>18</u>	Y N	<u>carbon droppings ? bag</u>
	3	<u>53</u>	<u>46</u>	<u>53</u>		<u>14</u>	Y N	
	4	<u>53</u>	<u>48</u>	<u>53</u>		<u>14</u>	Y N	
	5	<u>58</u>	<u>56</u>	<u>58</u>	<u>39</u>	<u>19</u>	Y N	<u>weigh.</u>
	6	<u>58</u>	<u>57</u>	<u>57</u>		<u>18</u>	Y N	
	7	<u>57</u>	<u>55</u>	<u>57</u>			Y N	
	8						Y N	
	9						Y N	
	10						Y N	
	11						Y N	
	12						Y N	
<b>Water Quality (Min. of 3 cores – Total Water Content SWE =&gt; 100)</b>								

\*\*\* Water Content <sub>SWE</sub> = Wt. of Tube & Core <sub>SWE</sub> – Wt. of Empty Tube <sub>SWE</sub> \*\*\*

Snow Sampling Field Sheet			
Area:	8000	No:	ENVI-177-0312
Effective Date:	26-MAR-2012	Revision:	R7
Task:	Snow Sampling Field Sheet	By:	D. Dul
		Page:	2 of 2

**Dust Sample Filters**

Total Volume of Melted Snow : 1985 (mL)

Filter #	Weight of Filter (mg)	Filter + Residue (mg)	Residue Weight (mg)	Comments
1	123.0	128.6	5.6	caribon scat present, filtered out, yellow in colour
2				
3				
4				
<b>Totals</b>	123.0	128.6	5.6	

**Water Quality Bottles**

Total Volume of Melted Snow :  $\frac{2745 + 12660}{1695 + 1985} = 1520$  (mL)

Filling Order	Analysis	Bottle Type	Triple Rinse	Preserve	Sample Type *	Sample Type *	Sample Type *	Sample Comments <u>DI Batch # for QAQC,</u> Location preserved if not in field, label changes
					GW			
1	Metals Total	60 mL Falcon Tube	Y	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
2	Metals Dissolved	60 mL Falcon Tube	Y	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
3	Total Mercury	40 mL clear glass (pre-preserved)	N	Y	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4	Nutrients	120 mL plastic (pre-preserved)	N	Y	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
5	Routine	1000 mL plastic	Y	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
6	TSS/Turb/pH	1000 mL plastic	Y	N	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

\*Sample Type: GW, DUPW1/DUPW2, FBW, TBW, EBW, REP1/ REP2, Filter Blank

Perchl. ✓

**Additional Comments**

Extra snowcore during AEMP  
 Bag ~~for water~~ contained caribon scat - pale yellow water - switched  
 to DUST bag for water

## APPENDIX D      SNOW WATER CHEMISTRY ANALYTICAL RESULTS

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Acidity (pH 4.5)	mg/L	SS1-4	6-Apr-19	<1.0	0.5	1	VN9055	GW		
	mg/L	SS1-5	6-Apr-19	<1.0	0.5	1	VN9056	GW		
	mg/L	SS2-1-1	7-Apr-19	<1.0	0.5	1	VN9057	GW		
	mg/L	SS2-1-1B	7-Apr-19	<1.0	0.5	1	VN9058	GW		
	mg/L	SS3-5	7-Apr-19	<1.0	0.5	1	VN9059	GW		
	mg/L	SS3-6	7-Apr-19	<1.0	0.5	1	VN9060	GW		
	mg/L	SS3-7	7-Apr-19	<1.0	0.5	1	VN9061	GW		
	mg/L	SS3-8	7-Apr-19	<1.0	0.5	1	VN9062	GW		
	mg/L	SS4-4	6-Apr-19	<1.0	0.500	1	VN9063	GW		
	mg/L	SS4-5	6-Apr-19	<1.0	0.5	1	VN9064	GW		
	mg/L	SS5-3-4	5-Apr-19	<1.0	0.5	1	VN9065	GW		
	mg/L	SS5-4	5-Apr-19	<1.0	0.5	1	VN9066	GW		
	mg/L	SS5-5	5-Apr-19	<1.0	0.50	1	VN9067	GW		
	mg/L	SSC-1-4	5-Apr-19	<1.0	0.5	1	VN9068	GW		
	mg/L	SSC-2	6-Apr-19	<1.0	0.5	1	VN9069	GW		
	mg/L	SSC-3	5-Apr-19	<1.0	0.5	1	VN9070	GW		
	mg/L	SSC-1-5	5-Apr-19	<1.0	0.5	1	VN9071	GW		
	mg/L	SS5-3-5	5-Apr-19	<1.0	0.5	1	VN9072	GW		
	mg/L	SS3-4	7-Apr-19	<1.0	0.5	1	VN9073	GW		
	mg/L	SS2-1	7-Apr-19	<1.0	0.5	1	VN5134	GW		
	mg/L	SS2-2-4	7-Apr-19	<1.0	0.5	1	VN5135	GW		
	mg/L	SS2-3	4-Apr-19	<1.0	0.5	1	VN5136	GW		
	mg/L	SS2-4	4-Apr-19	<1.0	0.5	1	VN5137	GW		
	mg/L	SS2-2-5	7-Apr-19	<1.0	0.5	1	VN5138	GW		
	mg/L	FF1-2	4-May-19	<1.0	0.5	1	VT3154	GW		
	mg/L	LDS-1	26-Apr-19	<1.0	0.5	1	VT3155	GW		
	mg/L	FFB-4	5-May-19	<1.0	0.5	1	VT3156	GW		
	mg/L	FFA-4	8-May-19	<1.0	0.5	1	VT3157	GW		
	Acidity (pH 8.3)	mg/L	SS1-4	6-Apr-19	<1.0	0.5	1	VN9055	GW	
		mg/L	SS1-5	6-Apr-19	<1.0	0.5	1	VN9056	GW	
mg/L		SS2-1-1	7-Apr-19	<1.0	0.5	1	VN9057	GW		
mg/L		SS2-1-1B	7-Apr-19	<1.0	0.5	1	VN9058	GW		
mg/L		SS3-5	7-Apr-19	<1.0	0.5	1	VN9059	GW		
mg/L		SS3-6	7-Apr-19	<1.0	0.5	1	VN9060	GW		
mg/L		SS3-7	7-Apr-19	<1.0	0.500	1	VN9061	GW		
mg/L		SS3-8	7-Apr-19	<1.0	0.5	1	VN9062	GW		
mg/L		SS4-4	6-Apr-19	<1.0	0.5	1	VN9063	GW		
mg/L		SS4-5	6-Apr-19	<1.0	0.5	1	VN9064	GW		
mg/L		SS5-3-4	5-Apr-19	<1.0	0.5	1	VN9065	GW		
mg/L		SS5-4	5-Apr-19	<1.0	0.5	1	VN9066	GW		
mg/L		SS5-5	5-Apr-19	<1.0	0.5	1	VN9067	GW		
mg/L		SSC-1-4	5-Apr-19	<1.0	0.5	1	VN9068	GW		



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SSC-2	6-Apr-19	<1.0	0.5	1	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<1.0	0.5	1	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<1.0	0.5	1	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<1.0	0.5	1	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<1.0	0.5	1	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<1.0	0.5	1	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<1.0	0.5	1	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<1.0	0.5	1	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<1.0	0.500	1	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<1.0	0.5	1	VN5138	GW	
	mg/L	FF1-2	4-May-19	1	1	1	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	1.1	1.1	1	VT3155	GW	
	mg/L	FFB-4	5-May-19	1.3	1.3	1	VT3156	GW	
	mg/L	FFA-4	8-May-19	1.1	1.1	1	VT3157	GW	
Alkalinity (PP as CaCO <sub>3</sub> )	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	<0.50	0.25	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	<0.50	0.25	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	<0.50	0.25	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	<0.50	0.25	0.5	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.50	0.25	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	<0.50	0.25	0.5	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Alkalinity (Total as CaCO <sub>3</sub> )	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW		
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW		
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW		
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW		
	mg/L	SS3-5	7-Apr-19	0.83	0.83	0.5	VN9059	GW		
	mg/L	SS3-6	7-Apr-19	8.26	8.26	0.5	VN9060	GW		
	mg/L	SS3-7	7-Apr-19	8.08	8.08	0.5	VN9061	GW		
	mg/L	SS3-8	7-Apr-19	4.8	4.8	0.5	VN9062	GW		
	mg/L	SS4-4	6-Apr-19	1.54	1.54	0.5	VN9063	GW		
	mg/L	SS4-5	6-Apr-19	1.88	1.88	0.5	VN9064	GW		
	mg/L	SS5-3-4	5-Apr-19	0.79	0.79	0.5	VN9065	GW		
	mg/L	SS5-4	5-Apr-19	0.62	0.62	0.5	VN9066	GW		
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW		
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW		
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW		
	mg/L	SSC-3	5-Apr-19	1.93	1.93	0.5	VN9070	GW		
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW		
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW		
	mg/L	SS3-4	7-Apr-19	3.24	3.24	0.5	VN9073	GW		
	mg/L	SS2-1	7-Apr-19	0.64	0.640	0.5	VN5134	GW		
	mg/L	SS2-2-4	7-Apr-19	0.54	0.54	0.5	VN5135	GW		
	mg/L	SS2-3	4-Apr-19	0.64	0.64	0.5	VN5136	GW		
	mg/L	SS2-4	4-Apr-19	1.01	1.01	0.5	VN5137	GW		
	mg/L	SS2-2-5	7-Apr-19	0.53	0.53	0.5	VN5138	GW		
	mg/L	FF1-2	4-May-19	0.72	0.72	0.5	VT3154	GW		
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW		
	mg/L	FFB-4	5-May-19	1.18	1.18	0.5	VT3156	GW		
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW		
	Aluminum (Al) - Dissolved	ug/L	SS1-4	6-Apr-19	55.4	55.4	0.2	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	47.5	47.50	0.2	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.20	0.1	0.2	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.20	0.1	0.2	VN9058	GW		
ug/L		SS3-5	7-Apr-19	28	28	0.2	VN9059	GW		
ug/L		SS3-6	7-Apr-19	88.7	88.7	0.2	VN9060	GW		
ug/L		SS3-7	7-Apr-19	152	152	0.2	VN9061	GW		
ug/L		SS3-8	7-Apr-19	75.8	75.8	0.2	VN9062	GW		
ug/L		SS4-4	6-Apr-19	43.9	43.9	0.2	VN9063	GW		
ug/L		SS4-5	6-Apr-19	57.5	57.5	0.2	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	115	115	0.2	VN9065	GW		
ug/L		SS5-4	5-Apr-19	58	58	0.2	VN9066	GW		
ug/L		SS5-5	5-Apr-19	40.7	40.7	0.2	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	15.6	15.6	0.2	VN9068	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-2	6-Apr-19	27.9	27.9	0.2	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	44.8	44.800	0.2	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	15.7	15.7	0.2	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	162	162	0.2	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	59.4	59.4	0.2	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	20.8	20.8	0.2	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	20.5	20.5	0.2	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	29.2	29.2	0.2	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	48.1	48.1	0.2	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	19.7	19.7	0.2	VN5138	GW	
	ug/L	FF1-2	4-May-19	1.41	1.41	0.2	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	2.13	2.13	0.2	VT3155	GW	
	ug/L	FFB-4	5-May-19	2.08	2.08	0.2	VT3156	GW	
	ug/L	FFA-4	8-May-19	2.01	2.01	0.2	VT3157	GW	
Aluminum (Al) - Total	ug/L	SS1-4	6-Apr-19	53.3	53.3	0.2	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	46.4	46.4	0.2	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.20	0.1	0.2	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.20	0.1	0.2	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	23.5	23.5	0.2	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	96.3	96.3	0.2	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	134	134	0.2	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	78.9	78.9	0.2	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	46.3	46.3	0.2	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	52.8	52.8	0.2	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	128	128.000	0.2	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	67.3	67.3	0.2	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	30.9	30.9	0.2	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	13.1	13.1	0.2	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	24.7	24.700	0.2	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	47.7	47.7	0.2	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	12.7	12.7	0.2	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	151	151	0.2	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	50.3	50.3	0.2	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	19.4	19.4	0.2	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	17.9	17.9	0.2	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	31	31	0.2	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	36.1	36.1	0.2	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	21.7	21.7	0.2	VN5138	GW	
	ug/L	FF1-2	4-May-19	119	119	0.2	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	16.6	16.6	0.2	VT3155	GW	
	ug/L	FFB-4	5-May-19	126	126	0.2	VT3156	GW	
	ug/L	FFA-4	8-May-19	20	20	0.2	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Ammonia (N) - Total	mg/L	SS1-4	6-Apr-19	0.08	0.08	0.005	VN9055	GW		
	mg/L	SS1-5	6-Apr-19	0.072	0.072	0.005	VN9056	GW		
	mg/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW		
	mg/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW		
	mg/L	SS3-5	7-Apr-19	0.065	0.065	0.005	VN9059	GW		
	mg/L	SS3-6	7-Apr-19	0.096	0.096	0.005	VN9060	GW		
	mg/L	SS3-7	7-Apr-19	0.11	0.11	0.005	VN9061	GW		
	mg/L	SS3-8	7-Apr-19	0.11	0.11	0.005	VN9062	GW		
	mg/L	SS4-4	6-Apr-19	0.12	0.12	0.005	VN9063	GW		
	mg/L	SS4-5	6-Apr-19	0.087	0.087	0.005	VN9064	GW		
	mg/L	SS5-3-4	5-Apr-19	0.072	0.072	0.005	VN9065	GW		
	mg/L	SS5-4	5-Apr-19	0.043	0.043	0.005	VN9066	GW		
	mg/L	SS5-5	5-Apr-19	0.033	0.033	0.005	VN9067	GW		
	mg/L	SSC-1-4	5-Apr-19	0.023	0.023	0.005	VN9068	GW		
	mg/L	SSC-2	6-Apr-19	0.056	0.056	0.005	VN9069	GW		
	mg/L	SSC-3	5-Apr-19	0.013	0.013	0.005	VN9070	GW		
	mg/L	SSC-1-5	5-Apr-19	0.04	0.04	0.005	VN9071	GW		
	mg/L	SS5-3-5	5-Apr-19	0.078	0.078	0.005	VN9072	GW		
	mg/L	SS3-4	7-Apr-19	0.068	0.068	0.005	VN9073	GW		
	mg/L	SS2-1	7-Apr-19	0.072	0.072	0.005	VN5134	GW		
	mg/L	SS2-2-4	7-Apr-19	0.037	0.037	0.005	VN5135	GW		
	mg/L	SS2-3	4-Apr-19	0.077	0.077	0.005	VN5136	GW		
	mg/L	SS2-4	4-Apr-19	0.071	0.071	0.005	VN5137	GW		
	mg/L	SS2-2-5	7-Apr-19	0.031	0.031	0.005	VN5138	GW		
	mg/L	FF1-2	4-May-19	0.17	0.17	0.005	VT3154	GW		
	mg/L	LDS-1	26-Apr-19	0.029	0.029	0.005	VT3155	GW		
	mg/L	FFB-4	5-May-19	0.061	0.061	0.005	VT3156	GW		
	mg/L	FFA-4	8-May-19	0.065	0.065	0.005	VT3157	GW		
	Antimony (Sb) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.020	0.01	0.02	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	<0.020	0.01	0.02	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.020	0.01	0.02	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW		
ug/L		SS3-5	7-Apr-19	<0.020	0.01	0.02	VN9059	GW		
ug/L		SS3-6	7-Apr-19	<0.020	0.01	0.02	VN9060	GW		
ug/L		SS3-7	7-Apr-19	<0.020	0.01	0.02	VN9061	GW		
ug/L		SS3-8	7-Apr-19	<0.020	0.01	0.02	VN9062	GW		
ug/L		SS4-4	6-Apr-19	<0.020	0.01	0.02	VN9063	GW		
ug/L		SS4-5	6-Apr-19	<0.020	0.01	0.02	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	<0.020	0.01	0.02	VN9065	GW		
ug/L		SS5-4	5-Apr-19	<0.020	0.01	0.02	VN9066	GW		
ug/L		SS5-5	5-Apr-19	<0.020	0.01	0.02	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	<0.020	0.01	0.02	VN9068	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-2	6-Apr-19	<0.020	0.01	0.02	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.020	0.01	0.02	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.020	0.01	0.02	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.020	0.01	0.02	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.020	0.01	0.02	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.020	0.01	0.02	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.020	0.01	0.02	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.020	0.01	0.02	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.020	0.01	0.02	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.020	0.01	0.02	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.020	0.01	0.02	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.020	0.01	0.02	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.020	0.01	0.02	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.020	0.01	0.02	VT3157	GW	
Antimony (Sb) - Total	ug/L	SS1-4	6-Apr-19	<0.020	0.01	0.02	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.020	0.01	0.02	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.020	0.0	0.02	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.020	0.01	0.02	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.020	0.01	0.02	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.020	0.01	0.02	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.020	0.01	0.02	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.020	0.01	0.02	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.020	0.01	0.02	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.020	0.01	0.02	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.020	0.01	0.02	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.020	0.01	0.02	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.020	0.01	0.02	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.020	0.01	0.02	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.020	0.01	0.02	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.020	0.01	0.02	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.020	0.01	0.02	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.020	0.01	0.02	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.020	0.0	0.02	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.020	0.01	0.02	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.020	0.01	0.02	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.020	0.01	0.02	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.020	0.01	0.02	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.020	0.010	0.02	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.020	0.01	0.02	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.020	0.01	0.02	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.020	0.01	0.02	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Arsenic (As) - Dissolved	ug/L	SS1-4	6-Apr-19	0.041	0.041	0.02	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	0.026	0.026	0.02	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.020	0.01	0.02	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	0.033	0.033	0.02	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	0.073	0.073	0.02	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	0.112	0.112	0.02	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	0.047	0.047	0.02	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	0.054	0.054	0.02	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	0.027	0.027	0.02	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	0.066	0.066	0.02	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	0.053	0.053	0.02	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	0.033	0.033	0.02	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	0.066	0.066	0.02	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	<0.020	0.01	0.02	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	0.102	0.102	0.02	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	<0.020	0.01	0.02	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	0.056	0.056	0.02	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	0.034	0.034	0.02	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	0.05	0.05	0.02	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	0.021	0.021	0.02	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	0.034	0.034	0.02	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	0.062	0.062	0.02	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	<0.020	0.01	0.02	VN5138	GW		
	ug/L	FF1-2	4-May-19	<0.020	0.01	0.02	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	<0.020	0.01	0.02	VT3155	GW		
	ug/L	FFB-4	5-May-19	<0.020	0.01	0.02	VT3156	GW		
	ug/L	FFA-4	8-May-19	<0.020	0.01	0.02	VT3157	GW		
	Arsenic (As) - Total	ug/L	SS1-4	6-Apr-19	0.033	0.033	0.02	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	0.033	0.033	0.02	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.020	0.01	0.02	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW		
ug/L		SS3-5	7-Apr-19	0.027	0.027	0.02	VN9059	GW		
ug/L		SS3-6	7-Apr-19	0.062	0.062	0.02	VN9060	GW		
ug/L		SS3-7	7-Apr-19	0.096	0.096	0.02	VN9061	GW		
ug/L		SS3-8	7-Apr-19	0.048	0.048	0.02	VN9062	GW		
ug/L		SS4-4	6-Apr-19	0.05	0.05	0.02	VN9063	GW		
ug/L		SS4-5	6-Apr-19	0.031	0.031	0.02	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	0.051	0.051	0.02	VN9065	GW		
ug/L		SS5-4	5-Apr-19	0.035	0.035	0.02	VN9066	GW		
ug/L		SS5-5	5-Apr-19	0.036	0.036	0.02	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	0.027	0.027	0.02	VN9068	GW		
ug/L		SSC-2	6-Apr-19	<0.020	0.01	0.02	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	0.107	0.107	0.02	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.020	0.01	0.02	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.054	0.054	0.02	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.04	0.04	0.02	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.048	0.048	0.02	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.020	0.01	0.02	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.024	0.024	0.02	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.047	0.047	0.02	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.027	0.027	0.02	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.023	0.023	0.02	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.020	0.01	0.02	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.037	0.037	0.02	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.020	0.01	0.02	VT3157	GW	
Barium (Ba) - Dissolved	ug/L	SS1-4	6-Apr-19	2.62	2.62	0.02	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	2.68	2.68	0.02	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.020	0.01	0.02	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	5.13	5.13	0.02	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	14.9	14.9	0.02	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	13	13	0.02	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	7.98	7.98	0.02	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	8.54	8.54	0.02	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	6.97	6.97	0.02	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	3.19	3.19	0.02	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	2.59	2.59	0.02	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	2	2	0.02	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	1.34	1.34	0.02	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	1.56	1.56	0.02	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	6.81	6.81	0.02	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	1.32	1.32	0.02	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	3.62	3.62	0.02	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	6.93	6.93	0.02	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	1.68	1.7	0.02	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.706	0.706	0.02	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	1.5	1.5	0.02	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	2.01	2.01	0.02	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.872	0.872	0.02	VN5138	GW	
	ug/L	FF1-2	4-May-19	1.89	1.89	0.02	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.372	0.372	0.02	VT3155	GW	
	ug/L	FFB-4	5-May-19	5.76	5.76	0.02	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.696	0.696	0.02	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Barium (Ba) - Total	ug/L	SS1-4	6-Apr-19	2.76	2.76	0.02	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	2.75	2.75	0.02	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.020	0.01	0.02	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	4.88	4.88	0.02	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	14.8	14.8	0.02	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	12.4	12.4	0.02	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	8.34	8.34	0.02	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	8.92	8.92	0.02	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	6.92	6.92	0.02	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	3.91	3.91	0.02	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	2.51	2.51	0.02	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	2.07	2.07	0.02	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	1.45	1.45	0.02	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	1.64	1.64	0.02	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	6.71	6.71	0.02	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	1.44	1.44	0.02	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	3.63	3.63	0.02	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	6.87	6.87	0.02	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	1.72	1.72	0.02	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	0.708	0.708	0.02	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	1.46	1.46	0.02	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	1.89	1.89	0.02	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	0.794	0.794	0.02	VN5138	GW		
	ug/L	FF1-2	4-May-19	3.6	3.6	0.02	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	0.606	0.606	0.02	VT3155	GW		
	ug/L	FFB-4	5-May-19	8.27	8.27	0.02	VT3156	GW		
	ug/L	FFA-4	8-May-19	0.956	0.956	0.02	VT3157	GW		
	Beryllium (Be) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.010	0.005	0.01	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	<0.010	0.005	0.01	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW		
ug/L		SS3-5	7-Apr-19	<0.010	0.0	0.01	VN9059	GW		
ug/L		SS3-6	7-Apr-19	<0.010	0.005	0.01	VN9060	GW		
ug/L		SS3-7	7-Apr-19	<0.010	0.005	0.01	VN9061	GW		
ug/L		SS3-8	7-Apr-19	<0.010	0.005	0.01	VN9062	GW		
ug/L		SS4-4	6-Apr-19	<0.010	0.005	0.01	VN9063	GW		
ug/L		SS4-5	6-Apr-19	<0.010	0.005	0.01	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	<0.010	0.005	0.01	VN9065	GW		
ug/L		SS5-4	5-Apr-19	<0.010	0.005	0.01	VN9066	GW		
ug/L		SS5-5	5-Apr-19	0.011	0.011	0.01	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	<0.010	0.005	0.01	VN9068	GW		
ug/L		SSC-2	6-Apr-19	<0.010	0.005	0.01	VN9069	GW		



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	<0.010	0.005	0.01	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.010	0.005	0.01	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.018	0.018	0.01	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.010	0.005	0.01	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.010	0.005	0.01	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.010	0.005	0.01	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.010	0.005	0.01	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.010	0.005	0.01	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.010	0.005	0.01	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.010	0.005	0.01	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.010	0.005	0.01	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.010	0.005	0.01	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.010	0.005	0.01	VT3157	GW	
Beryllium (Be) - Total	ug/L	SS1-4	6-Apr-19	<0.010	0.005	0.01	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.010	0.0	0.01	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.010	0.005	0.01	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.010	0.005	0.01	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.010	0.005	0.01	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.012	0.012	0.01	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.010	0.01	0.01	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.010	0.005	0.01	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.010	0.005	0.01	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.010	0.005	0.01	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.010	0.005	0.01	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.010	0.005	0.01	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.010	0.0050	0.01	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.010	0.005	0.01	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.010	0.005	0.01	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.013	0.013	0.01	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.010	0.005	0.01	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.010	0.005	0.01	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.010	0.005	0.01	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.010	0.005	0.01	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.010	0.005	0.01	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.010	0.005	0.01	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.010	0.005	0.01	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.010	0.005	0.01	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.010	0.005	0.01	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.010	0.005	0.01	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Bicarbonate (HCO <sub>3</sub> )	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW		
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW		
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW		
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW		
	mg/L	SS3-5	7-Apr-19	1.01	1.01	0.5	VN9059	GW		
	mg/L	SS3-6	7-Apr-19	10.1	10.1	0.5	VN9060	GW		
	mg/L	SS3-7	7-Apr-19	9.86	9.86	0.5	VN9061	GW		
	mg/L	SS3-8	7-Apr-19	5.86	5.86	0.5	VN9062	GW		
	mg/L	SS4-4	6-Apr-19	1.88	1.88	0.5	VN9063	GW		
	mg/L	SS4-5	6-Apr-19	2.29	2.29	0.5	VN9064	GW		
	mg/L	SS5-3-4	5-Apr-19	0.96	0.96	0.5	VN9065	GW		
	mg/L	SS5-4	5-Apr-19	0.76	0.76	0.5	VN9066	GW		
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW		
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW		
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW		
	mg/L	SSC-3	5-Apr-19	2.35	2.35	0.5	VN9070	GW		
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW		
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW		
	mg/L	SS3-4	7-Apr-19	3.95	3.950	0.5	VN9073	GW		
	mg/L	SS2-1	7-Apr-19	0.78	0.8	0.5	VN5134	GW		
	mg/L	SS2-2-4	7-Apr-19	0.66	0.66	0.5	VN5135	GW		
	mg/L	SS2-3	4-Apr-19	0.78	0.78	0.5	VN5136	GW		
	mg/L	SS2-4	4-Apr-19	1.23	1.23	0.5	VN5137	GW		
	mg/L	SS2-2-5	7-Apr-19	0.65	0.65	0.5	VN5138	GW		
	mg/L	FF1-2	4-May-19	0.88	0.88	0.5	VT3154	GW		
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW		
	mg/L	FFB-4	5-May-19	1.44	1.440	0.5	VT3156	GW		
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW		
	Bismuth (Bi) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.0050	0.0025	0.005	VN9055	GW	Matrix Spike exceeds acceptance limits due to matrix interference. Reanalysis yields similar results.
		ug/L	SS1-5	6-Apr-19	<0.0050	0.0025	0.005	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW		
ug/L		SS3-5	7-Apr-19	<0.0050	0.0025	0.005	VN9059	GW		
ug/L		SS3-6	7-Apr-19	<0.0050	0.0025	0.005	VN9060	GW		
ug/L		SS3-7	7-Apr-19	0.0063	0.0063	0.005	VN9061	GW		
ug/L		SS3-8	7-Apr-19	<0.0050	0.0025	0.005	VN9062	GW		
ug/L		SS4-4	6-Apr-19	<0.0050	0.0025	0.005	VN9063	GW		
ug/L		SS4-5	6-Apr-19	<0.0050	0.0025	0.005	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	0.0053	0.01	0.005	VN9065	GW		
ug/L		SS5-4	5-Apr-19	<0.0050	0.0025	0.005	VN9066	GW		
ug/L		SS5-5	5-Apr-19	<0.0050	0.0025	0.005	VN9067	GW		
ug/L	SSC-1-4	5-Apr-19	<0.0050	0.0025	0.005	VN9068	GW			

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RD L	Lab Ref	Sample Type	Comment
	ug/L	SSC-2	6-Apr-19	<0.0050	0.0025	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.0050	0.0025	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0050	0.0025	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.0054	0.0054	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0050	0.0025	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0050	0.0025	0.005	VN5134	GW	Detection limits raised due to dilution to bring analyte within the calibrated range.
	ug/L	SS2-2-4	7-Apr-19	<0.0050	0.0025	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0050	0.0025	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0050	0.0025	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0050	0.0025	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.0050	0.0025	0.005	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.0050	0.0025	0.005	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.0050	0.0025	0.005	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.0050	0.0025	0.005	VT3157	GW	
Bismuth (Bi) - Total	ug/L	SS1-4	6-Apr-19	<0.0050	0.0025	0.005	VN9055	GW	Matrix Spike exceeds acceptance limits due to matrix interference. Reanalysis yields similar results.
	ug/L	SS1-5	6-Apr-19	<0.0050	0.0	0.005	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.0050	0.0025	0.005	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.0050	0.0025	0.005	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.0050	0.0025	0.005	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.0050	0.0025	0.005	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.0050	0.0025	0.005	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.0050	0.0025	0.005	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.0050	0.00	0.005	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.0050	0.0025	0.005	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.0050	0.0025	0.005	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.0050	0.0025	0.005	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.0050	0.0025	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.0050	0.0025	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0050	0.0025	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.0056	0.0056	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0050	0.0025	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0050	0.00	0.005	VN5134	GW	Detection limits raised due to dilution to bring analyte within the calibrated range.
	ug/L	SS2-2-4	7-Apr-19	<0.0050	0.0025	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0050	0.0025	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0050	0.0025	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0050	0.0025	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.0050	0.0025	0.005	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.0050	0.0025	0.005	VT3155	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	FFB-4	5-May-19	<0.0050	0.0025	0.005	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.0050	0.0025	0.005	VT3157	GW	
Boron (B) - Dissolved	ug/L	SS1-4	6-Apr-19	10	10	5	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	8.3	8.3	5	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	8.7	8.7	5	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	7.5	7.5	5	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	6.1	6.100	5	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	6.7	6.7	5	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	6.1	6.1	5	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<5.0	2.5	5	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<5.0	2.5	5	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<5.0	2.5	5	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<5.0	2.5	5	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<5.0	2.5	5	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<5.0	2.5	5	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<5.0	2.5	5	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<5.0	2.5	5	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<5.0	2.5	5	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<5.0	2.5	5	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<5.0	2.5	5	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<5.0	2.5	5	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	15	15	5	VN5134	GW	Detection limits raised due to dilution to bring analyte within the calibrated range.
	ug/L	SS2-2-4	7-Apr-19	13.1	13.1	5	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	11.5	11.5	5	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	10.4	10.4	5	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	9.1	9.1	5	VN5138	GW	
	ug/L	FF1-2	4-May-19	<5.0	2.5	5	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<5.0	2.5	5	VT3155	GW	
	ug/L	FFB-4	5-May-19	<5.0	2.5	5	VT3156	GW	
	ug/L	FFA-4	8-May-19	<5.0	2.5	5	VT3157	GW	
Boron (B) - Total	ug/L	SS1-4	6-Apr-19	9.4	9.4	5	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	7.8	7.80	5	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	7.3	7.3	5	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	6.5	6.5	5	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	5.7	5.7	5	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	6.2	6.2	5	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	5.4	5.4	5	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<5.0	2.5	5	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<5.0	2.5	5	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<5.0	2.5	5	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<5.0	2.5	5	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<5.0	2.5	5	VN9066	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SS5-5	5-Apr-19	<5.0	2.5	5	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<5.0	2.5	5	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<5.0	2.5000	5	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<5.0	2.5	5	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<5.0	2.5	5	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<5.0	2.5	5	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<5.0	2.5	5	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	14.5	14.5	5	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	12.1	12.1	5	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	11.3	11.3	5	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	10.2	10.200	5	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	8.3	8.3	5	VN5138	GW	
	ug/L	FF1-2	4-May-19	<5.0	2.5	5	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<5.0	2.5	5	VT3155	GW	
	ug/L	FFB-4	5-May-19	<5.0	2.500	5	VT3156	GW	
	ug/L	FFA-4	8-May-19	<5.0	2.5	5	VT3157	GW	
Cadmium (Cd) - Dissolved	ug/L	SS1-4	6-Apr-19	0.006	0.006	0.005	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.0050	0.0025	0.005	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.0055	0.0055	0.005	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.0050	0.0025	0.005	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.0050	0.0025	0.005	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.0050	0.0025	0.005	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.0050	0.0025	0.005	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.0050	0.0025	0.005	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.0050	0.0025	0.005	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.0050	0.0025	0.005	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.0050	0.0025	0.005	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.0050	0.0025	0.005	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.0066	0.0066	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.0050	0.0025	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0050	0.0025	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.0056	0.0056	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0050	0.0025	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0050	0.0025	0.005	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.0050	0.0025	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0050	0.0025	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0050	0.0025	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0050	0.0025	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.0050	0.0025	0.005	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.0050	0.0025	0.005	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.0050	0.0025	0.005	VT3156	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Cadmium (Cd) - Total	ug/L	FFA-4	8-May-19	<0.0050	0.0025	0.005	VT3157	GW	
	ug/L	SS1-4	6-Apr-19	0.0052	0.0052	0.005	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.0050	0.00	0.005	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.0050	0.0025	0.005	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.0050	0.0025	0.005	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.0050	0.0025	0.005	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.0050	0.0025	0.005	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.0050	0.0025	0.005	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.0050	0.0025	0.005	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.0050	0.0025	0.005	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.0050	0.0025	0.005	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.0050	0.003	0.005	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.0050	0.0025	0.005	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.006	0.006	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.0050	0.0025	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0050	0.0025	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.0050	0.0025	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0050	0.0025	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0050	0.0025	0.005	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.0050	0.0025	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0050	0.0025	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0050	0.0025	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0050	0.0025	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.0050	0.0025	0.005	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.0050	0.003	0.005	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.0050	0.0025	0.005	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.0050	0.0025	0.005	VT3157	GW	
	Calcium (Ca) - Dissolved	mg/L	SS1-4	6-Apr-19	0.42	0.42	0.01	VN9055	GW
mg/L		SS1-5	6-Apr-19	0.319	0.319	0.01	VN9056	GW	
mg/L		SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW	
mg/L		SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW	
mg/L		SS3-5	7-Apr-19	0.501	0.501	0.01	VN9059	GW	
mg/L		SS3-6	7-Apr-19	2.93	2.930	0.01	VN9060	GW	
mg/L		SS3-7	7-Apr-19	29.9	29.9	0.01	VN9061	GW	
mg/L		SS3-8	7-Apr-19	1.96	1.96	0.01	VN9062	GW	
mg/L		SS4-4	6-Apr-19	0.556	0.556	0.01	VN9063	GW	
mg/L		SS4-5	6-Apr-19	0.581	0.581	0.01	VN9064	GW	
mg/L		SS5-3-4	5-Apr-19	0.385	0.385	0.01	VN9065	GW	
mg/L		SS5-4	5-Apr-19	0.217	0.217	0.01	VN9066	GW	
mg/L		SS5-5	5-Apr-19	0.217	0.217	0.01	VN9067	GW	
mg/L		SSC-1-4	5-Apr-19	0.163	0.163	0.01	VN9068	GW	
mg/L		SSC-2	6-Apr-19	0.227	0.227	0.01	VN9069	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SSC-3	5-Apr-19	0.779	0.779	0.01	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.168	0.168	0.01	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.441	0.441	0.01	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	1.45	1.45	0.01	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.184	0.184	0.01	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.075	0.08	0.01	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.18	0.18	0.01	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.193	0.193	0.01	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.087	0.087	0.01	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.183	0.183	0.01	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.085	0.085	0.01	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.39	0.39	0.01	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.119	0.119	0.01	VT3157	GW	
Calcium (Ca) - Total	mg/L	SS1-4	6-Apr-19	0.388	0.388	0.01	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.332	0.33	0.01	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.444	0.444	0.01	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	3.15	3.15	0.01	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	3.22	3.22	0.01	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	2.13	2.1300	0.01	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.574	0.574	0.01	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.571	0.571	0.01	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.401	0.401	0.01	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.238	0.238	0.01	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.214	0.214	0.01	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.161	0.161	0.01	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.24	0.24	0.01	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.771	0.771	0.01	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.172	0.172	0.01	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.437	0.437	0.01	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	1.42	1.4200	0.01	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.182	0.18	0.01	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.07	0.07	0.01	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.186	0.186	0.01	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.19	0.19	0.01	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.086	0.086	0.01	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.189	0.189	0.01	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.059	0.059	0.01	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.401	0.401	0.01	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.085	0.085	0.01	VT3157	GW	
Carbonate (CO <sub>3</sub> )	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	<0.50	0.25	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	<0.50	0.25	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	<0.50	0.25	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	<0.50	0.25	0.5	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.50	0.250	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	<0.50	0.25	0.5	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	
Chloride (Cl) - Dissolved	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	<0.50	0.25	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	<0.50	0.25	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	<0.50	0.25	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	<0.50	0.25	0.5	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW	



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.50	0.25	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	<0.50	0.25	0.5	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	
Chromium (Cr) - Dissolved	ug/L	SS1-4	6-Apr-19	0.117	0.117	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.101	0.10	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.102	0.102	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.428	0.428	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.594	0.594	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.239	0.239	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.178	0.178	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.278	0.278	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.171	0.171	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.113	0.113	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.071	0.071	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.077	0.077	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.12	0.12	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.056	0.056	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.261	0.261	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.249	0.249	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.068	0.068	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.064	0.064	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.074	0.074	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.103	0.1030	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.073	0.073	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.066	0.066	0.05	VT3155	GW	
ug/L	FFB-4	5-May-19	0.297	0.297	0.05	VT3156	GW		
ug/L	FFA-4	8-May-19	0.071	0.071	0.05	VT3157	GW		
Chromium (Cr) - Total	ug/L	SS1-4	6-Apr-19	0.127	0.127	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.098	0.098	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.083	0.083	0.05	VN9059	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RD L	Lab Ref	Sample Type	Comment
	ug/L	SS3-6	7-Apr-19	0.39	0.39	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.47	0.47	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.298	0.298	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.22	0.22	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.202	0.202	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.236	0.236	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.181	0.181	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.050	0.025	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.081	0.081	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.191	0.191	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.128	0.128	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.235	0.235	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.204	0.204	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.059	0.059	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.053	0.053	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.056	0.056	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.073	0.073	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.596	0.60	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.069	0.069	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	1.48	1.480	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.144	0.144	0.05	VT3157	GW	
Cobalt (Co) - Dissolved	ug/L	SS1-4	6-Apr-19	0.124	0.124	0.005	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.126	0.13	0.005	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.119	0.119	0.005	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.0701	0.0701	0.005	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.519	0.519	0.005	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.0668	0.0668	0.005	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.069	0.069	0.005	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.119	0.119	0.005	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.148	0.148	0.005	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.108	0.108	0.005	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.113	0.113	0.005	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	0.042	0.042	0.005	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.0597	0.0597	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.122	0.122	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.0331	0.0331	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.141	0.141	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.11	0.11	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.082	0.082	0.005	VN5134	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SS2-2-4	7-Apr-19	0.0415	0.042	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.0841	0.0841	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.0719	0.0719	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.0428	0.0428	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.0646	0.0646	0.005	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.0122	0.0122	0.005	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.132	0.132	0.005	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.029	0.029	0.005	VT3157	GW	
Cobalt (Co) - Total	ug/L	SS1-4	6-Apr-19	0.0986	0.0986	0.005	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.111	0.111	0.005	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.135	0.135	0.005	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.06	0.06	0.005	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.0511	0.0511	0.005	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.0511	0.0511	0.005	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.123	0.123	0.005	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.127	0.127	0.005	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.125	0.125	0.005	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.153	0.153	0.005	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.0752	0.0752	0.005	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	0.0561	0.0561	0.005	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.0403	0.0403	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.13	0.13	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.0596	0.0596	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.157	0.157	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.0971	0.0971	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.0831	0.0831	0.005	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.0394	0.0394	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.0601	0.0601	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.111	0.111	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.0335	0.0335	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.139	0.14	0.005	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.0227	0.0227	0.005	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.316	0.316	0.005	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.0405	0.0405	0.005	VT3157	GW	
Conductivity	uS/cm	SS1-4	6-Apr-19	4.9	4.9	1	VN9055	GW	
	uS/cm	SS1-5	6-Apr-19	4.3	4.3	1	VN9056	GW	
	uS/cm	SS2-1-1	7-Apr-19	1.2	1.2	1	VN9057	GW	
	uS/cm	SS2-1-1B	7-Apr-19	1.4	1.4	1	VN9058	GW	
	uS/cm	SS3-5	7-Apr-19	5.1	5.1	1	VN9059	GW	
	uS/cm	SS3-6	7-Apr-19	21.4	21.4	1	VN9060	GW	
	uS/cm	SS3-7	7-Apr-19	23.4	23.4	1	VN9061	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	uS/cm	SS3-8	7-Apr-19	14.4	14.4	1	VN9062	GW	
	uS/cm	SS4-4	6-Apr-19	8.6	8.600	1	VN9063	GW	
	uS/cm	SS4-5	6-Apr-19	6.7	6.7	1	VN9064	GW	
	uS/cm	SS5-3-4	5-Apr-19	4.3	4.3	1	VN9065	GW	
	uS/cm	SS5-4	5-Apr-19	3.5	3.5	1	VN9066	GW	
	uS/cm	SS5-5	5-Apr-19	3.5	3.5	1	VN9067	GW	
	uS/cm	SSC-1-4	5-Apr-19	3.7	3.7	1	VN9068	GW	
	uS/cm	SSC-2	6-Apr-19	3.7	3.7	1	VN9069	GW	
	uS/cm	SSC-3	5-Apr-19	7.8	7.8	1	VN9070	GW	
	uS/cm	SSC-1-5	5-Apr-19	3.1	3.1	1	VN9071	GW	
	uS/cm	SS5-3-5	5-Apr-19	5.1	5.1	1	VN9072	GW	
	uS/cm	SS3-4	7-Apr-19	10.7	10.7	1	VN9073	GW	
	uS/cm	SS2-1	7-Apr-19	3.2	3.2	1	VN5134	GW	
	uS/cm	SS2-2-4	7-Apr-19	2.2	2.200	1	VN5135	GW	
	uS/cm	SS2-3	4-Apr-19	2.9	2.9	1	VN5136	GW	
	uS/cm	SS2-4	4-Apr-19	3.4	3.4	1	VN5137	GW	
	uS/cm	SS2-2-5	7-Apr-19	2.5	2.5	1	VN5138	GW	
	uS/cm	FF1-2	4-May-19	3	3	1	VT3154	GW	
	uS/cm	LDS-1	26-Apr-19	3.2	3.2	1	VT3155	GW	
	uS/cm	FFB-4	5-May-19	4.9	4.9	1	VT3156	GW	
	uS/cm	FFA-4	8-May-19	3.7	3.70	1	VT3157	GW	
Copper (Cu) - Dissolved	ug/L	SS1-4	6-Apr-19	0.105	0.105	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.166	0.17	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.050	0.025	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.101	0.101	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.22	0.22	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.122	0.122	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.079	0.079	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.11	0.11	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.196	0.196	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.149	0.149	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.099	0.099	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	0.053	0.053	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.07	0.0700	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.257	0.257	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.050	0.025	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.2	0.2	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.103	0.103	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.050	0.025	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.054	0.054	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.078	0.078	0.05	VN5136	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SS2-4	4-Apr-19	0.077	0.077	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.16	0.16	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.084	0.084	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.145	0.145	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.114	0.114	0.05	VT3157	GW	
Copper (Cu) - Total	ug/L	SS1-4	6-Apr-19	0.131	0.131	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.129	0.129	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.050	0.025	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.088	0.088	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.177	0.177	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.095	0.095	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.079	0.079	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.084	0.084	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.154	0.154	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.157	0.157	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.083	0.083	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	0.054	0.054	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.051	0.051	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.259	0.259	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.065	0.065	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.245	0.245	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.124	0.124	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.050	0.025	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.050	0.0250	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.09	0.09	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.098	0.098	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.052	0.052	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.2	0.20	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.088	0.088	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.328	0.328	0.05	VT3156	GW	
ug/L	FFA-4	8-May-19	0.112	0.112	0.05	VT3157	GW		
Fluoride (F)	mg/L	SS1-4	6-Apr-19	<0.010	0.005	0.01	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.010	0.005	0.01	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.010	0.005	0.01	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.01	0.01	0.01	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.011	0.011	0.01	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	<0.010	0.005	0.01	VN9062	GW	
mg/L	SS4-4	6-Apr-19	<0.010	0.005	0.01	VN9063	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SS4-5	6-Apr-19	<0.010	0.005	0.01	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	<0.010	0.005	0.01	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	<0.010	0.005	0.01	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.010	0.005	0.01	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.010	0.005	0.01	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.010	0.005	0.01	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.01	0.01	0.01	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.010	0.005	0.01	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.010	0.005	0.01	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<0.010	0.005	0.01	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.010	0.005	0.01	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.010	0.005	0.01	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.010	0.005	0.01	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.010	0.005	0.01	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.013	0.013	0.01	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.013	0.013	0.01	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.011	0.011	0.01	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.013	0.013	0.01	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.012	0.01	0.01	VT3157	GW	
Hardness (CaCO <sub>3</sub> ) - Dissolved	mg/L	SS1-4	6-Apr-19	1.4	1.4	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	1.14	1.14	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	1.82	1.82	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	8.91	8.9100	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	165	165	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	5.84	5.84	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	2.41	2.41	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	2.41	2.41	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	1.49	1.49	0.5	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.91	0.91	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.86	0.86	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.65	0.65	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.82	0.82	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	2.96	2.96	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.65	0.65	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	1.73	1.73	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	4.54	4.54	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.7	0.7	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.66	0.66	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.77	0.77	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	FF1-2	4-May-19	0.65	0.65	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	1.7	1.7	0.5	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	
Hardness (CaCO <sub>3</sub> ) - Total	mg/L	SS1-4	6-Apr-19	1.34	1.34	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	1.22	1.22	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	1.66	1.66	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	9.45	9.45	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	9.72	9.72	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	6.26	6.26	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	2.45	2.45	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	2.46	2.46	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	1.58	1.58	0.5	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.97	0.97	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.81	0.81	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.61	0.61	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.87	0.87	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	3	3	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.69	0.69	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	1.72	1.72	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	4.4	4.4	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.73	0.73	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.67	0.67	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.73	0.7300	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	1.33	1.33	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	3.94	3.94	0.5	VT3156	GW	
mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW		
Hydroxide (OH)	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	<0.50	0.25	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	<0.50	0.25	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	<0.50	0.25	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW	
mg/L	SS5-3-4	5-Apr-19	<0.50	0.25	0.5	VN9065	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.50	0.25	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	<0.50	0.250	0.5	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	
Iron (Fe) - Dissolved	ug/L	SS1-4	6-Apr-19	34.3	34.3	1	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	32.1	32.10	1	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<1.0	0.5	1	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<1.0	0.5	1	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	14.7	14.7	1	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	50.6	50.6	1	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	250	250	1	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	39.2	39.2	1	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	37.3	37.3	1	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	50.1	50.1	1	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	74.4	74.4	1	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	46.4	46.4	1	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	17.2	17.2	1	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	10.6	10.6	1	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	14.5	14.5	1	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	39.4	39.4	1	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	13.6	13.6	1	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	97.5	97.5	1	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	45.2	45.2	1	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	10.1	10.1	1	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	7.6	7.6	1	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	10.4	10.4	1	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	12.5	12.5	1	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	6.7	6.7	1	VN5138	GW	
	ug/L	FF1-2	4-May-19	<1.0	0.5	1	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	3.2	3.2	1	VT3155	GW	



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Iron (Fe) - Total	ug/L	FFB-4	5-May-19	3.6	3.6	1	VT3156	GW	
	ug/L	FFA-4	8-May-19	2.6	2.6	1	VT3157	GW	
	ug/L	SS1-4	6-Apr-19	35.8	35.8	1	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	40.3	40.3	1	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<1.0	0.5	1	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<1.0	0.5	1	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	10.1	10.1	1	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	44.5	44.5	1	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	55.7	55.7	1	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	37.6	37.6	1	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	45.6	45.6	1	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	51.9	51.9	1	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	71.5	71.5	1	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	44.3	44.3	1	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	17.4	17.4	1	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	14.8	14.8	1	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	14.2	14.2	1	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	42.6	42.6	1	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	15.9	15.900	1	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	96.2	96.2	1	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	39.5	39.5	1	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	15.5	15.5	1	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	7.5	7.5	1	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	10.2	10.2	1	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	16.2	16.2	1	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	7.4	7.4	1	VN5138	GW	
	ug/L	FF1-2	4-May-19	166	166	1	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	23.1	23.1	1	VT3155	GW	
	ug/L	FFB-4	5-May-19	244	244.0000	1	VT3156	GW	
	ug/L	FFA-4	8-May-19	30.4	30.4	1	VT3157	GW	
Kjeldahl Nitrogen - Total	mg/L	FF1-2	4-May-19	0.068	0.068	0.02	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.042	0.042	0.02	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.087	0.087	0.02	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.075	0.075	0.02	VT3157	GW	
	mg/L	SS1-4	6-Apr-19	0.111	0.111	0.02	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.117	0.117	0.02	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	0.022	0.022	0.02	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	0.03	0.03	0.02	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.09	0.09	0.02	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.116	0.116	0.02	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.124	0.124	0.02	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.107	0.107	0.02	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.121	0.121	0.02	VN9063	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RD L	Lab Ref	Sample Type	Comment
	mg/L	SS4-5	6-Apr-19	0.086	0.086	0.02	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.099	0.099	0.02	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.055	0.055	0.02	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.082	0.082	0.02	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.06	0.060	0.02	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.074	0.074	0.02	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.15	0.15	0.02	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.069	0.069	0.02	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.099	0.099	0.02	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.06	0.06	0.02	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.085	0.085	0.02	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.044	0.044	0.02	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.053	0.053	0.02	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.11	0.11	0.02	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.04	0.04	0.02	VN5138	GW	
Lead (Pb) - Dissolved	ug/L	SS1-4	6-Apr-19	0.052	0.052	0.005	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.0332	0.03	0.005	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.0238	0.0238	0.005	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.0623	0.0623	0.005	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.139	0.139	0.005	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.0554	0.0554	0.005	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.0647	0.0647	0.005	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.0548	0.0548	0.005	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.0901	0.0901	0.005	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.0432	0.0432	0.005	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.0285	0.0285	0.005	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	0.0173	0.0173	0.005	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.0307	0.0307	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.0543	0.0543	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.0149	0.0149	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.124	0.124	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.0658	0.0658	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.0085	0.0085	0.005	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.0112	0.0112	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.0219	0.02	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.0258	0.0258	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.0089	0.0089	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.0087	0.0087	0.005	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.0123	0.0123	0.005	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.0607	0.0607	0.005	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.0154	0.0154	0.005	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Lead (Pb) - Total	ug/L	SS1-4	6-Apr-19	0.046	0.046	0.005	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	0.0427	0.0427	0.005	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	0.0231	0.0231	0.005	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	0.0691	0.0691	0.005	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	0.0974	0.0974	0.005	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	0.0592	0.0592	0.005	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	0.061	0.061	0.005	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	0.0466	0.0466	0.005	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	0.11	0.11	0.005	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	0.0646	0.0646	0.005	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	0.0306	0.0306	0.005	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	0.0182	0.0182	0.005	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	0.0257	0.026	0.005	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	0.0595	0.0595	0.005	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	0.0166	0.0166	0.005	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	0.126	0.126	0.005	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	0.0777	0.078	0.005	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	0.0119	0.0119	0.005	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	0.0074	0.0074	0.005	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	0.0218	0.0218	0.005	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	0.0184	0.0184	0.005	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	0.0077	0.0077	0.005	VN5138	GW		
	ug/L	FF1-2	4-May-19	0.144	0.144	0.005	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	0.0473	0.0473	0.005	VT3155	GW		
	ug/L	FFB-4	5-May-19	0.172	0.1720	0.005	VT3156	GW		
	ug/L	FFA-4	8-May-19	0.048	0.048	0.005	VT3157	GW		
	Lithium (Li) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW		
ug/L		SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW		
ug/L		SS3-6	7-Apr-19	<0.50	0.25	0.5	VN9060	GW		
ug/L		SS3-7	7-Apr-19	0.64	0.64	0.5	VN9061	GW		
ug/L		SS3-8	7-Apr-19	<0.50	0.25	0.5	VN9062	GW		
ug/L		SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW		
ug/L		SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	0.55	0.55	0.5	VN9065	GW		
ug/L		SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW		
ug/L		SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW		
ug/L		SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.69	0.69	0.5	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.50	0.25	0.5	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.50	0.25	0.5	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	
Lithium (Li) - Total	ug/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.50	0.25	0.5	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.56	0.56	0.5	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.50	0.25	0.5	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.74	0.740	0.5	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.72	0.72	0.5	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.50	0.250	0.5	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.50	0.25	0.5	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.50	0.25	0.5	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Magnesium (Mg) - Dissolved	mg/L	SS1-4	6-Apr-19	0.0857	0.0857	0.005	VN9055	GW		
	mg/L	SS1-5	6-Apr-19	0.0835	0.08	0.005	VN9056	GW		
	mg/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW		
	mg/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW		
	mg/L	SS3-5	7-Apr-19	0.138	0.138	0.005	VN9059	GW		
	mg/L	SS3-6	7-Apr-19	0.39	0.3900	0.005	VN9060	GW		
	mg/L	SS3-7	7-Apr-19	22	22	0.005	VN9061	GW		
	mg/L	SS3-8	7-Apr-19	0.232	0.232	0.005	VN9062	GW		
	mg/L	SS4-4	6-Apr-19	0.248	0.248	0.005	VN9063	GW		
	mg/L	SS4-5	6-Apr-19	0.232	0.232	0.005	VN9064	GW		
	mg/L	SS5-3-4	5-Apr-19	0.128	0.128	0.005	VN9065	GW		
	mg/L	SS5-4	5-Apr-19	0.0901	0.0901	0.005	VN9066	GW		
	mg/L	SS5-5	5-Apr-19	0.0764	0.0764	0.005	VN9067	GW		
	mg/L	SSC-1-4	5-Apr-19	0.0585	0.0585	0.005	VN9068	GW		
	mg/L	SSC-2	6-Apr-19	0.0622	0.0622	0.005	VN9069	GW		
	mg/L	SSC-3	5-Apr-19	0.246	0.246	0.005	VN9070	GW		
	mg/L	SSC-1-5	5-Apr-19	0.0558	0.0558	0.005	VN9071	GW		
	mg/L	SS5-3-5	5-Apr-19	0.152	0.152	0.005	VN9072	GW		
	mg/L	SS3-4	7-Apr-19	0.221	0.221	0.005	VN9073	GW		
	mg/L	SS2-1	7-Apr-19	0.0595	0.0595	0.005	VN5134	GW		
	mg/L	SS2-2-4	7-Apr-19	0.0214	0.0214	0.005	VN5135	GW		
	mg/L	SS2-3	4-Apr-19	0.0514	0.0514	0.005	VN5136	GW		
	mg/L	SS2-4	4-Apr-19	0.07	0.07	0.005	VN5137	GW		
	mg/L	SS2-2-5	7-Apr-19	0.0277	0.0277	0.005	VN5138	GW		
	mg/L	FF1-2	4-May-19	0.0471	0.0471	0.005	VT3154	GW		
	mg/L	LDS-1	26-Apr-19	0.0161	0.0161	0.005	VT3155	GW		
	mg/L	FFB-4	5-May-19	0.177	0.177	0.005	VT3156	GW		
	mg/L	FFA-4	8-May-19	0.0254	0.0254	0.005	VT3157	GW		
	Magnesium (Mg) - Total	mg/L	SS1-4	6-Apr-19	0.0914	0.0914	0.005	VN9055	GW	
		mg/L	SS1-5	6-Apr-19	0.0953	0.0953	0.005	VN9056	GW	
		mg/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
		mg/L	SS2-1-1B	7-Apr-19	<0.0050	0.0	0.005	VN9058	GW	
mg/L		SS3-5	7-Apr-19	0.134	0.134	0.005	VN9059	GW		
mg/L		SS3-6	7-Apr-19	0.387	0.387	0.005	VN9060	GW		
mg/L		SS3-7	7-Apr-19	0.41	0.41	0.005	VN9061	GW		
mg/L		SS3-8	7-Apr-19	0.226	0.226	0.005	VN9062	GW		
mg/L		SS4-4	6-Apr-19	0.246	0.246	0.005	VN9063	GW		
mg/L		SS4-5	6-Apr-19	0.251	0.251	0.005	VN9064	GW		
mg/L		SS5-3-4	5-Apr-19	0.141	0.141	0.005	VN9065	GW		
mg/L		SS5-4	5-Apr-19	0.0905	0.0905	0.005	VN9066	GW		
mg/L		SS5-5	5-Apr-19	0.0682	0.0682	0.005	VN9067	GW		
mg/L		SSC-1-4	5-Apr-19	0.0498	0.0498	0.005	VN9068	GW		
mg/L		SSC-2	6-Apr-19	0.0652	0.0652	0.005	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SSC-3	5-Apr-19	0.262	0.262	0.005	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.0625	0.0625	0.005	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.153	0.153	0.005	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.209	0.209	0.005	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.0659	0.0659	0.005	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.0241	0.0241	0.005	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.0492	0.0492	0.005	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.0617	0.0617	0.005	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.0284	0.0284	0.005	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.209	0.209	0.005	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.0266	0.0266	0.005	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.713	0.713	0.005	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.039	0.039	0.005	VT3157	GW	
Manganese (Mn) - Dissolved	ug/L	SS1-4	6-Apr-19	3.02	3.02	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	3.12	3.12	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	3.57	3.57	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	3.78	3.78	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	3.85	3.85	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	3.16	3.16	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	4.13	4.13	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	3.92	3.92	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	5.93	5.93	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	3.72	3.72	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	2.28	2.28	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	2.36	2.36	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	2.37	2.37	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	16.2	16.2	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	2.1	2.1	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	6.49	6.49	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	3.81	3.810	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	1.65	1.65	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.977	0.977	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	1.51	1.51	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	1.98	1.98	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	1	1	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	1.44	1.44	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.489	0.489	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	3.16	3.16	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	1.02	1.02	0.05	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Manganese (Mn) - Total	ug/L	SS1-4	6-Apr-19	3.66	3.66	0.05	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	3.12	3.12	0.05	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	3.41	3.4	0.05	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	3.48	3.48	0.05	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	3.38	3.38	0.05	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	3.49	3.49	0.05	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	4.25	4.25	0.05	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	4.5	4.5	0.05	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	6.22	6.22	0.05	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	3.59	3.59	0.05	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	2.59	2.59	0.05	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	1.96	1.96	0.05	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	2.08	2.08	0.05	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	14.7	14.7	0.05	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	2.14	2.14	0.05	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	6.68	6.68	0.05	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	3.43	3.430	0.05	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	1.63	1.63	0.05	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	0.84	0.84	0.05	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	1.79	1.79	0.05	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	2.01	2.01	0.05	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	0.98	0.98	0.05	VN5138	GW		
	ug/L	FF1-2	4-May-19	3.52	3.52	0.05	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	0.914	0.914	0.05	VT3155	GW		
	ug/L	FFB-4	5-May-19	6.15	6.15	0.05	VT3156	GW		
	ug/L	FFA-4	8-May-19	1.31	1.31	0.05	VT3157	GW		
	Mercury (Hg) - Total	ug/L	SS1-4	6-Apr-19	<0.0020	0.001	0.002	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	<0.0020	0.001	0.002	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW		
ug/L		SS3-5	7-Apr-19	<0.0020	0.001	0.002	VN9059	GW		
ug/L		SS3-6	7-Apr-19	0.0024	0.0024	0.002	VN9060	GW		
ug/L		SS3-7	7-Apr-19	0.0022	0.0022	0.002	VN9061	GW		
ug/L		SS3-8	7-Apr-19	<0.0020	0.001	0.002	VN9062	GW		
ug/L		SS4-4	6-Apr-19	<0.0020	0.001	0.002	VN9063	GW		
ug/L		SS4-5	6-Apr-19	<0.0020	0.001	0.002	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	<0.0020	0.001	0.002	VN9065	GW		
ug/L		SS5-4	5-Apr-19	<0.0020	0.001	0.002	VN9066	GW		
ug/L		SS5-5	5-Apr-19	<0.0020	0.001	0.002	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	<0.0020	0.001	0.002	VN9068	GW		
ug/L		SSC-2	6-Apr-19	<0.0020	0.001	0.002	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	<0.0020	0.001	0.002	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0020	0.001	0.002	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.0020	0.001	0.002	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0020	0.001	0.002	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0020	0.001	0.002	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.0020	0.001	0.002	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0020	0.001	0.002	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0020	0.001	0.002	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0020	0.001	0.002	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.0020	0.001	0.002	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.0020	0.001	0.002	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.0020	0.00	0.002	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.0020	0.001	0.002	VT3157	GW	
Molybdenum (Mo) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.050	0.025	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.050	0.03	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.050	0.025	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.166	0.166	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.208	0.208	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.125	0.125	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.08	0.08	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.123	0.123	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.088	0.088	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.050	0.025	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.050	0.025	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.050	0.025	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.073	0.073	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.050	0.025	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.1	0.1	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.082	0.082	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.050	0.025	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.050	0.025	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.050	0.025	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.050	0.025	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.063	0.063	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.050	0.025	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.059	0.059	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	1.17	1.17	0.05	VT3157	GW	



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Molybdenum (Mo) - Total	ug/L	SS1-4	6-Apr-19	<0.050	0.025	0.05	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	<0.050	0.025	0.05	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	<0.050	0.025	0.05	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	0.163	0.163	0.05	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	0.182	0.182	0.05	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	0.146	0.146	0.05	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	0.086	0.086	0.05	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	0.125	0.125	0.05	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	0.101	0.101	0.05	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	<0.050	0.025	0.05	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	<0.050	0.025	0.05	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	<0.050	0.025	0.05	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	0.061	0.061	0.05	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	<0.050	0.025	0.05	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	0.124	0.124	0.05	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	0.072	0.072	0.05	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	<0.050	0.0	0.05	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	<0.050	0.025	0.05	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	<0.050	0.025	0.05	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	<0.050	0.025	0.05	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW		
	ug/L	FF1-2	4-May-19	<0.050	0.025	0.05	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	<0.050	0.025	0.05	VT3155	GW		
	ug/L	FFB-4	5-May-19	0.051	0.051	0.05	VT3156	GW		
	ug/L	FFA-4	8-May-19	<0.050	0.025	0.05	VT3157	GW		
	Nickel (Ni) - Dissolved	ug/L	SS1-4	6-Apr-19	1.21	1.21	0.02	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	1.29	1.29	0.02	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.020	0.01	0.02	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW		
ug/L		SS3-5	7-Apr-19	3.21	3.21	0.02	VN9059	GW		
ug/L		SS3-6	7-Apr-19	2.15	2.15	0.02	VN9060	GW		
ug/L		SS3-7	7-Apr-19	2.09	2.09	0.02	VN9061	GW		
ug/L		SS3-8	7-Apr-19	1.47	1.47	0.02	VN9062	GW		
ug/L		SS4-4	6-Apr-19	3.76	3.76	0.02	VN9063	GW		
ug/L		SS4-5	6-Apr-19	3.26	3.26	0.02	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	1.56	1.56	0.02	VN9065	GW		
ug/L		SS5-4	5-Apr-19	1.52	1.52	0.02	VN9066	GW		
ug/L		SS5-5	5-Apr-19	1.09	1.09	0.02	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	0.813	0.813	0.02	VN9068	GW		
ug/L		SSC-2	6-Apr-19	0.694	0.694	0.02	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	3.25	3.25	0.02	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.841	0.841	0.02	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	1.8	1.8	0.02	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	2.69	2.69	0.02	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	1.28	1.28	0.02	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.388	0.388	0.02	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.796	0.796	0.02	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	1.13	1.13	0.02	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.514	0.514	0.02	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.974	0.974	0.02	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.148	0.148	0.02	VT3155	GW	
	ug/L	FFB-4	5-May-19	3	3	0.02	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.285	0.285	0.02	VT3157	GW	
Nickel (Ni) - Total	ug/L	SS1-4	6-Apr-19	1.12	1.12	0.02	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	1.2	1.2	0.02	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	0.024	0.024	0.02	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.020	0.01	0.02	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	3.03	3.03	0.02	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	2.02	2.02	0.02	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	1.68	1.68	0.02	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	1.47	1.47	0.02	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	3.92	3.92	0.02	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	3.4	3.4	0.02	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	1.79	1.79	0.02	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	1.49	1.49	0.02	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	1.14	1.14	0.02	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	0.685	0.685	0.02	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.746	0.746	0.02	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	3.28	3.28	0.02	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.839	0.839	0.02	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	1.74	1.74	0.02	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	2.69	2.69	0.02	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	1.18	1.18	0.02	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.414	0.414	0.02	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.794	0.794	0.02	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	1.11	1.11	0.02	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.47	0.47	0.02	VN5138	GW	
	ug/L	FF1-2	4-May-19	1.58	1.58	0.02	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.2	0.2	0.02	VT3155	GW	
	ug/L	FFB-4	5-May-19	5.41	5.41	0.02	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.358	0.358	0.02	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Nitrate (N)	mg/L	SS1-4	6-Apr-19	0.164	0.164	0.002	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.131	0.131	0.002	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.125	0.125	0.002	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.155	0.155	0.002	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.15	0.150	0.002	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.118	0.118	0.002	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.219	0.219	0.002	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.149	0.149	0.002	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.123	0.123	0.002	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.0961	0.0961	0.002	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.0955	0.0955	0.002	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.101	0.101	0.002	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.154	0.154	0.002	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.0253	0.0253	0.002	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.104	0.104	0.002	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.132	0.132	0.002	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.131	0.131	0.002	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.125	0.125	0.002	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.061	0.061	0.002	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.1	0.1	0.002	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.127	0.127	0.002	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.0672	0.0672	0.002	VN5138	GW	
	Nitrate (N) - Dissolved	mg/L	FF1-2	4-May-19	0.12	0.12	0.002	VT3154	GW
mg/L		LDS-1	26-Apr-19	0.091	0.091	0.002	VT3155	GW	
mg/L		FFB-4	5-May-19	0.1	0.1	0.002	VT3156	GW	
mg/L		FFA-4	8-May-19	0.11	0.11	0.002	VT3157	GW	
Nitrate plus Nitrite (N)	mg/L	SS1-4	6-Apr-19	0.168	0.168	0.002	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.136	0.136	0.002	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.128	0.128	0.002	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.16	0.16	0.002	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.161	0.161	0.002	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.123	0.123	0.002	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.224	0.224	0.002	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.151	0.151	0.002	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.13	0.13	0.002	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.0973	0.0973	0.002	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.0955	0.0955	0.002	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.101	0.101	0.002	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.156	0.156	0.002	VN9069	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SSC-3	5-Apr-19	0.0293	0.0293	0.002	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.104	0.104	0.002	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.14	0.14	0.002	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.135	0.135	0.002	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.125	0.125	0.002	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.0629	0.0629	0.002	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.1	0.1	0.002	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.127	0.127	0.002	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.0672	0.0672	0.002	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.12	0.12	0.0022	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.091	0.091	0.0022	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.1	0.100	0.0022	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.11	0.11	0.0022	VT3157	GW	
Nitrite (N)	mg/L	SS1-4	6-Apr-19	0.0043	0.0043	0.001	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.0044	0.0044	0.001	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.0010	0.0005	0.001	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	0.0016	0.0016	0.001	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.0028	0.0028	0.001	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.0056	0.0056	0.001	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.011	0.011	0.001	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.0047	0.0047	0.001	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.005	0.005	0.001	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.0024	0.0024	0.001	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.0072	0.0072	0.001	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.0012	0.0012	0.001	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.0010	0.0005	0.001	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.0010	0.0005	0.001	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.0016	0.0016	0.001	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.004	0.004	0.001	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.0010	0.0005	0.001	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.0073	0.0073	0.001	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.0042	0.0042	0.001	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.0010	0.001	0.001	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.0019	0.0019	0.001	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.0010	0.0005	0.001	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.0010	0.0005	0.001	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.0010	0.0005	0.001	VN5138	GW	
Nitrite (N) - Dissolved	mg/L	FF1-2	4-May-19	<0.0010	0.0005	0.001	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.0010	0.0005	0.001	VT3155	GW	
	mg/L	FFB-4	5-May-19	<0.0010	0.0005	0.001	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.0010	0.0005	0.001	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Nitrogen (N) - Total	mg/L	SS1-4	6-Apr-19	0.279	0.28	0.02	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.252	0.252	0.02	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	0.022	0.022	0.02	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	0.03	0.03	0.02	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.217	0.217	0.02	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.276	0.276	0.02	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.284	0.284	0.02	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.23	0.23	0.02	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.344	0.344	0.02	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.237	0.237	0.02	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.23	0.23	0.02	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.152	0.152	0.02	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.177	0.177	0.02	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.162	0.162	0.02	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.23	0.23	0.02	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.18	0.18	0.02	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.173	0.173	0.02	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.238	0.238	0.02	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.196	0.196	0.02	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.21	0.2100	0.02	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.107	0.107	0.02	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.154	0.154	0.02	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.237	0.237	0.02	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.108	0.108	0.02	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.18	0.18	0.02	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.13	0.13	0.02	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.19	0.190	0.02	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.18	0.18	0.02	VT3157	GW	
Orthophosphate (P)	mg/L	SS1-4	6-Apr-19	0.0036	0.0036	0.001	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.0038	0.0038	0.001	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	0.0014	0.0014	0.001	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	0.0014	0.0014	0.001	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.0042	0.0042	0.001	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.0026	0.0026	0.001	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.0049	0.0049	0.001	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.0018	0.0018	0.001	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.0062	0.0062	0.001	VN9063	GW	Matrix spike exceeds acceptance limits, probable matrix interference.
	mg/L	SS4-5	6-Apr-19	0.0052	0.0052	0.001	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.0037	0.0037	0.001	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.003	0.003	0.001	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.0039	0.0039	0.001	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.0063	0.0063	0.001	VN9068	GW	
mg/L	SSC-2	6-Apr-19	0.0024	0.0024	0.001	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SSC-3	5-Apr-19	0.0014	0.00	0.001	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.0028	0.0028	0.001	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.0035	0.0035	0.001	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.0024	0.002	0.001	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.0014	0.0014	0.001	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.0016	0.0016	0.001	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.0015	0.0015	0.001	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.0015	0.0015	0.001	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.0010	0.0005	0.001	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.0032	0.0032	0.001	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.0026	0.0026	0.001	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.0064	0.0064	0.001	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.0023	0.0023	0.001	VT3157	GW	
pH	pH	SS1-4	6-Apr-19	5.29	5.29		VN9055	GW	
	pH	SS1-5	6-Apr-19	5.24	5.24		VN9056	GW	
	pH	SS2-1-1	7-Apr-19	5.2	5.2		VN9057	GW	
	pH	SS2-1-1B	7-Apr-19	5.54	5.54		VN9058	GW	
	pH	SS3-5	7-Apr-19	5.84	5.84		VN9059	GW	
	pH	SS3-6	7-Apr-19	6.89	6.89		VN9060	GW	
	pH	SS3-7	7-Apr-19	6.9	6.9		VN9061	GW	
	pH	SS3-8	7-Apr-19	6.65	6.65		VN9062	GW	
	pH	SS4-4	6-Apr-19	6.11	6.11		VN9063	GW	
	pH	SS4-5	6-Apr-19	6.22	6.22		VN9064	GW	
	pH	SS5-3-4	5-Apr-19	5.72	5.72		VN9065	GW	
	pH	SS5-4	5-Apr-19	5.58	5.58		VN9066	GW	
	pH	SS5-5	5-Apr-19	5.21	5.21		VN9067	GW	
	pH	SSC-1-4	5-Apr-19	4.97	4.97		VN9068	GW	
	pH	SSC-2	6-Apr-19	5.08	5.08		VN9069	GW	
	pH	SSC-3	5-Apr-19	6.11	6.11		VN9070	GW	
	pH	SSC-1-5	5-Apr-19	5.34	5.34		VN9071	GW	
	pH	SS5-3-5	5-Apr-19	5.05	5.05		VN9072	GW	
	pH	SS3-4	7-Apr-19	6.45	6.45		VN9073	GW	
	pH	SS2-1	7-Apr-19	6.26	6.26		VN5134	GW	
	pH	SS2-2-4	7-Apr-19	5.96	5.96		VN5135	GW	
	pH	SS2-3	4-Apr-19	6.18	6.18		VN5136	GW	
	pH	SS2-4	4-Apr-19	6.23	6.230		VN5137	GW	
	pH	SS2-2-5	7-Apr-19	5.98	5.98		VN5138	GW	
	pH	FF1-2	4-May-19	5.24	5.24	N/A	VT3154	GW	
	pH	LDS-1	26-Apr-19	4.69	4.69	N/A	VT3155	GW	
	pH	FFB-4	5-May-19	6	6	N/A	VT3156	GW	
	pH	FFA-4	8-May-19	4.98	4.98	N/A	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Phosphorus (P) - Dissolved	mg/L	SS1-4	6-Apr-19	0.0408	0.0408	0.002	VN9055	GW		
	mg/L	SS1-5	6-Apr-19	0.0272	0.0272	0.002	VN9056	GW		
	mg/L	SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW		
	mg/L	SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW		
	mg/L	SS3-5	7-Apr-19	0.0356	0.0356	0.002	VN9059	GW		
	mg/L	SS3-6	7-Apr-19	0.0048	0.0048	0.002	VN9060	GW		
	mg/L	SS3-7	7-Apr-19	0.0113	0.0113	0.002	VN9061	GW		
	mg/L	SS3-8	7-Apr-19	0.0031	0.0031	0.002	VN9062	GW		
	mg/L	SS4-4	6-Apr-19	0.0064	0.0064	0.002	VN9063	GW		
	mg/L	SS4-5	6-Apr-19	0.0055	0.0055	0.002	VN9064	GW		
	mg/L	SS5-3-4	5-Apr-19	0.0064	0.0064	0.002	VN9065	GW		
	mg/L	SS5-4	5-Apr-19	0.0041	0.0041	0.002	VN9066	GW		
	mg/L	SS5-5	5-Apr-19	0.0031	0.0031	0.002	VN9067	GW		
	mg/L	SSC-1-4	5-Apr-19	0.0095	0.0095	0.002	VN9068	GW		
	mg/L	SSC-2	6-Apr-19	0.018	0.018	0.002	VN9069	GW		
	mg/L	SSC-3	5-Apr-19	0.0361	0.0361	0.002	VN9070	GW		
	mg/L	SSC-1-5	5-Apr-19	0.003	0.003	0.002	VN9071	GW		
	mg/L	SS5-3-5	5-Apr-19	0.0068	0.0068	0.002	VN9072	GW		
	mg/L	SS3-4	7-Apr-19	0.0269	0.0269	0.002	VN9073	GW		
	mg/L	SS2-1	7-Apr-19	0.0032	0.0032	0.003	VN5134	GW		
	mg/L	SS2-2-4	7-Apr-19	0.0033	0.0033	0.003	VN5135	GW		
	mg/L	SS2-3	4-Apr-19	0.0031	0.0031	0.003	VN5136	GW		
	mg/L	SS2-4	4-Apr-19	0.0038	0.0038	0.003	VN5137	GW		
	mg/L	SS2-2-5	7-Apr-19	<0.0030	0.0015	0.003	VN5138	GW		
	mg/L	FF1-2	4-May-19	<0.0020	0.001	0.002	VT3154	GW		
	mg/L	LDS-1	26-Apr-19	<0.0020	0.001	0.002	VT3155	GW		
	mg/L	FFB-4	5-May-19	0.0052	0.0052	0.002	VT3156	GW		
	mg/L	FFA-4	8-May-19	<0.0020	0.001	0.002	VT3157	GW		
	Phosphorus (P) - Total	mg/L	SS1-4	6-Apr-19	0.0954	0.0954	0.002	VN9055	GW	
		mg/L	SS1-5	6-Apr-19	0.0943	0.0943	0.002	VN9056	GW	
		mg/L	SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW	
		mg/L	SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW	
mg/L		SS3-5	7-Apr-19	0.0521	0.052	0.002	VN9059	GW		
mg/L		SS3-6	7-Apr-19	0.254	0.254	0.002	VN9060	GW		
mg/L		SS3-7	7-Apr-19	0.413	0.413	0.002	VN9061	GW		
mg/L		SS3-8	7-Apr-19	0.211	0.211	0.002	VN9062	GW		
mg/L		SS4-4	6-Apr-19	0.06	0.06	0.002	VN9063	GW		
mg/L		SS4-5	6-Apr-19	0.0773	0.0773	0.002	VN9064	GW		
mg/L		SS5-3-4	5-Apr-19	0.189	0.189	0.002	VN9065	GW		
mg/L		SS5-4	5-Apr-19	0.111	0.111	0.002	VN9066	GW		
mg/L		SS5-5	5-Apr-19	0.0464	0.0464	0.002	VN9067	GW		
mg/L		SSC-1-4	5-Apr-19	0.0254	0.0254	0.002	VN9068	GW		
mg/L		SSC-2	6-Apr-19	0.0288	0.0288	0.002	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SSC-3	5-Apr-19	0.0814	0.0814	0.002	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.02	0.02	0.002	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.368	0.368	0.002	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.144	0.144	0.002	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.03	0.03	0.001	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.018	0.018	0.001	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.04	0.04	0.001	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.048	0.048	0.001	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.016	0.016	0.001	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.0068	0.0068	0.002	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.0020	0.001	0.002	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.0118	0.0118	0.002	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.002	0.002	0.002	VT3157	GW	
Potassium (K) - Dissolved	mg/L	SS1-4	6-Apr-19	0.058	0.058	0.01	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.073	0.07	0.01	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.072	0.072	0.01	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.206	0.2060	0.01	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	6.58	6.58	0.01	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.154	0.154	0.01	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.136	0.136	0.01	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.129	0.129	0.01	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.132	0.132	0.01	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.061	0.061	0.01	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.042	0.042	0.01	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.063	0.063	0.01	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.033	0.033	0.01	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.392	0.392	0.01	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.036	0.04	0.01	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.167	0.167	0.01	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.127	0.127	0.01	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.031	0.031	0.01	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.022	0.022	0.01	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.037	0.037	0.01	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.047	0.047	0.01	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.025	0.025	0.01	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.03	0.03	0.01	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.010	0.005	0.01	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.059	0.059	0.01	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.017	0.017	0.01	VT3157	GW	



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Potassium (K) - Total	mg/L	SS1-4	6-Apr-19	0.064	0.064	0.01	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.072	0.072	0.01	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.068	0.068	0.01	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.225	0.225	0.01	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.288	0.288	0.01	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.155	0.155	0.01	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.152	0.152	0.01	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.129	0.129	0.01	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.135	0.135	0.01	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.063	0.063	0.01	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.049	0.049	0.01	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.071	0.071	0.01	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.075	0.075	0.01	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.376	0.376	0.01	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.046	0.046	0.01	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.171	0.171	0.01	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.112	0.112	0.01	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.033	0.033	0.01	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.027	0.027	0.01	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.041	0.041	0.01	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.045	0.045	0.01	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.027	0.027	0.01	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.083	0.08	0.01	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.014	0.014	0.01	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.098	0.098	0.01	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.029	0.029	0.01	VT3157	GW	
Selenium (Se) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.040	0.02	0.04	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.040	0.02	0.04	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.040	0.02	0.04	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.040	0.02	0.04	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.040	0.02	0.04	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.040	0.02	0.04	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.040	0.02	0.04	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.040	0.02	0.04	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.040	0.02	0.04	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.040	0.02	0.04	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.040	0.02	0.04	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.040	0.02	0.04	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.040	0.02	0.04	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.040	0.02	0.04	VN9068	GW	
ug/L	SSC-2	6-Apr-19	<0.040	0.02	0.04	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	<0.040	0.02	0.04	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.040	0.02	0.04	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.040	0.02	0.04	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.040	0.02	0.04	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.040	0.02	0.04	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.051	0.051	0.04	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.040	0.02	0.04	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.040	0.02	0.04	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.047	0.047	0.04	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.040	0.02	0.04	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.040	0.02	0.04	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.040	0.02	0.04	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.040	0.02	0.04	VT3157	GW	
Selenium (Se) - Total	ug/L	SS1-4	6-Apr-19	<0.040	0.02	0.04	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.040	0.02	0.04	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.040	0.02	0.04	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.040	0.02	0.04	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.040	0.02	0.04	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.040	0.02	0.04	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.040	0.02	0.04	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.040	0.02	0.04	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.040	0.02	0.04	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.040	0.02	0.04	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.040	0.02	0.04	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.040	0.02	0.04	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.040	0.02	0.04	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.040	0.02	0.04	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.040	0.02	0.04	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.040	0.02	0.04	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.040	0.02	0.04	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.040	0.02	0.04	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.040	0.02	0.04	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.040	0.02	0.04	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.040	0.02	0.04	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.045	0.045	0.04	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.040	0.02	0.04	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.040	0.02	0.04	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.040	0.02	0.04	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.040	0.02	0.04	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.040	0.020	0.04	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.040	0.02	0.04	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Silicon (Si) - Dissolved	ug/L	SS1-4	6-Apr-19	166	166	50	VN9055	GW	Matrix Spike exceeds acceptance limits due to matrix interference. Reanalysis yields similar results.
	ug/L	SS1-5	6-Apr-19	130	130.00	50	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<50	25	50	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<50	25	50	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	126	126	50	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	783	783	50	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	1040	1040	50	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	540	540	50	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	202	202.0000	50	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	224	224	50	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	293	293	50	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	171	171.000	50	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	100	100	50	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<50	25	50	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	59	59	50	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	219	219	50	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<50	25	50	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	385	385	50	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	393	393	50	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	92	92	50	VN5134	GW	Detection limits raised due to dilution to bring analyte within the calibrated range.
	ug/L	SS2-2-4	7-Apr-19	<50	25	50	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	57	57.00	50	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	90	90	50	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<50	25	50	VN5138	GW	
	ug/L	FF1-2	4-May-19	<50	25	50	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<50	25	50	VT3155	GW	
	ug/L	FFB-4	5-May-19	85	85	50	VT3156	GW	
	ug/L	FFA-4	8-May-19	<50	25	50	VT3157	GW	
Silicon (Si) - Total	ug/L	SS1-4	6-Apr-19	149	149	50	VN9055	GW	Matrix Spike exceeds acceptance limits due to matrix interference. Reanalysis yields similar results.
	ug/L	SS1-5	6-Apr-19	134	134	50	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<50	25	50	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<50	25	50	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	110	110	50	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	773	773	50	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	935	935.00	50	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	561	561	50	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	197	197	50	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	239	239	50	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	302	302	50	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	199	199	50	VN9066	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SS5-5	5-Apr-19	81	81	50	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<50	25	50	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<50	25	50	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	225	225	50	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<50	25.000	50	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	404	404	50	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	321	321	50	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	65	65	50	VN5134	GW	Detection limits raised due to dilution to bring analyte within the calibrated range.
	ug/L	SS2-2-4	7-Apr-19	<50	25	50	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	62	62	50	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	72	72	50	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<50	25	50	VN5138	GW	
	ug/L	FF1-2	4-May-19	194	194	50	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<50	25	50	VT3155	GW	
	ug/L	FFB-4	5-May-19	276	276	50	VT3156	GW	
	ug/L	FFA-4	8-May-19	<50	25	50	VT3157	GW	
Silver (Ag) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.0050	0.0025	0.005	VN9055	GW	Matrix Spike exceeds acceptance limits due to matrix interference. Reanalysis yields similar results.
	ug/L	SS1-5	6-Apr-19	<0.0050	0.00	0.005	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.0050	0.0025	0.005	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.0050	0.0025	0.005	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.0050	0.0025	0.005	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.0050	0.0025	0.005	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.0050	0.0025	0.005	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.0050	0.0025	0.005	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.0050	0.00	0.005	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.0050	0.0025	0.005	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.0050	0.0025	0.005	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.0050	0.0025	0.005	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.0050	0.0025	0.005	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.0050	0.0025	0.005	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0050	0.0025	0.005	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.0050	0.0025	0.005	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0050	0.0025	0.005	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0050	0.0025	0.005	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.0050	0.0025	0.005	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0050	0.0025	0.005	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0050	0.0025	0.005	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0050	0.0025	0.005	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.0050	0.0025	0.005	VT3154	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RD L	Lab Ref	Sample Type	Comment	
	ug/L	LDS-1	26-Apr-19	<0.0050	0.0025	0.005	VT3155	GW		
	ug/L	FFB-4	5-May-19	<0.0050	0.0025	0.005	VT3156	GW		
	ug/L	FFA-4	8-May-19	<0.0050	0.0025	0.005	VT3157	GW		
Silver (Ag) - Total	ug/L	SS1-4	6-Apr-19	<0.0050	0.0025	0.005	VN9055	GW	Matrix Spike exceeds acceptance limits due to matrix interference. Reanalysis yields similar results.	
	ug/L	SS1-5	6-Apr-19	<0.0050	0.0025	0.005	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.0050	0.0025	0.005	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.0050	0.0025	0.005	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	<0.0050	0.0025	0.005	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	<0.0050	0.0025	0.005	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	<0.0050	0.0025	0.005	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	<0.0050	0.0025	0.005	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	<0.0050	0.0025	0.005	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	<0.0050	0.0025	0.005	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	<0.0050	0.0025	0.005	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	<0.0050	0.0025	0.005	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	<0.0050	0.0025	0.005	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	<0.0050	0.003	0.005	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	<0.0050	0.0025	0.005	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	<0.0050	0.0025	0.005	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	<0.0050	0.0025	0.005	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	<0.0050	0.0025	0.005	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	<0.0050	0.0025	0.005	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	<0.0050	0.0025	0.005	VN5134	GW	Detection limits raised due to dilution to bring analyte within the calibrated range.	
	ug/L	SS2-2-4	7-Apr-19	<0.0050	0.0025	0.005	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	<0.0050	0.0025	0.005	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	<0.0050	0.0025	0.005	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	<0.0050	0.0025	0.005	VN5138	GW		
	ug/L	FF1-2	4-May-19	<0.0050	0.0025	0.005	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	<0.0050	0.0025	0.005	VT3155	GW		
	ug/L	FFB-4	5-May-19	<0.0050	0.0025	0.005	VT3156	GW		
	ug/L	FFA-4	8-May-19	<0.0050	0.0025	0.005	VT3157	GW		
	Sodium (Na) - Dissolved	mg/L	SS1-4	6-Apr-19	0.088	0.088	0.01	VN9055	GW	
		mg/L	SS1-5	6-Apr-19	0.094	0.09	0.01	VN9056	GW	
mg/L		SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW		
mg/L		SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW		
mg/L		SS3-5	7-Apr-19	0.066	0.066	0.01	VN9059	GW		
mg/L		SS3-6	7-Apr-19	0.126	0.126	0.01	VN9060	GW		
mg/L		SS3-7	7-Apr-19	34.2	34.2000	0.01	VN9061	GW		
mg/L		SS3-8	7-Apr-19	0.076	0.076	0.01	VN9062	GW		
mg/L		SS4-4	6-Apr-19	0.155	0.1550	0.01	VN9063	GW		
mg/L		SS4-5	6-Apr-19	0.115	0.115	0.01	VN9064	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SS5-3-4	5-Apr-19	0.086	0.086	0.01	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.081	0.081	0.01	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.094	0.094	0.01	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.043	0.043	0.01	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.062	0.062	0.01	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.13	0.130	0.01	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.047	0.047	0.01	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.094	0.094	0.01	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.074	0.074	0.01	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.152	0.152	0.01	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.078	0.078	0.01	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.09	0.09	0.01	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.096	0.096	0.01	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.065	0.065	0.01	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.064	0.064	0.01	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.036	0.036	0.01	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.055	0.055	0.01	VT3156	GW	
	mg/L	FFA-4	8-May-19	0.04	0.04	0.01	VT3157	GW	
Sodium (Na) - Total	mg/L	SS1-4	6-Apr-19	0.097	0.097	0.01	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	0.091	0.091	0.01	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	0.064	0.064	0.01	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	0.147	0.147	0.01	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	0.194	0.194	0.01	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.084	0.084	0.01	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.149	0.149	0.01	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.106	0.106	0.01	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.086	0.086	0.01	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.068	0.068	0.01	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	0.097	0.097	0.01	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	0.043	0.043	0.01	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	0.053	0.053	0.01	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	0.121	0.121	0.01	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	0.049	0.049	0.01	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	0.103	0.103	0.01	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	0.069	0.069	0.01	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	0.119	0.119	0.01	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	0.087	0.087	0.01	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	0.087	0.087	0.01	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	0.096	0.096	0.01	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	0.069	0.069	0.01	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.032	0.032	0.01	VT3154	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
	mg/L	LDS-1	26-Apr-19	0.029	0.029	0.01	VT3155	GW		
	mg/L	FFB-4	5-May-19	0.049	0.049	0.01	VT3156	GW		
	mg/L	FFA-4	8-May-19	0.026	0.026	0.01	VT3157	GW		
Strontium (Sr) - Dissolved	ug/L	SS1-4	6-Apr-19	2.07	2.07	0.05	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	1.67	1.67	0.05	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	3.67	3.67	0.05	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	14.3	14.300	0.05	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	13.9	13.9	0.05	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	7.88	7.88	0.05	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	7.39	7.39	0.05	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	5.95	5.95	0.05	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	2.73	2.73	0.05	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	1.67	1.67	0.05	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	1.49	1.49	0.05	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	1.1	1.1	0.05	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	1.43	1.43	0.05	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	6.44	6.44	0.05	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	0.974	0.974	0.05	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	3.36	3.36	0.05	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	6.7	6.7	0.05	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	1.47	1.47	0.05	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	0.524	0.524	0.05	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	1.12	1.12	0.05	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	1.61	1.61	0.05	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	0.553	0.553	0.05	VN5138	GW		
	ug/L	FF1-2	4-May-19	1.23	1.23	0.05	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	0.226	0.226	0.05	VT3155	GW		
	ug/L	FFB-4	5-May-19	4.08	4.08	0.05	VT3156	GW		
	ug/L	FFA-4	8-May-19	0.354	0.354	0.05	VT3157	GW		
	Strontium (Sr) - Total	ug/L	SS1-4	6-Apr-19	1.87	1.87	0.05	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	1.96	1.96	0.05	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.050	0.0	0.05	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW		
ug/L		SS3-5	7-Apr-19	4.49	4.4900	0.05	VN9059	GW		
ug/L		SS3-6	7-Apr-19	12.4	12.4	0.05	VN9060	GW		
ug/L		SS3-7	7-Apr-19	13.8	13.8	0.05	VN9061	GW		
ug/L		SS3-8	7-Apr-19	8.42	8.420	0.05	VN9062	GW		
ug/L		SS4-4	6-Apr-19	8.31	8.31	0.05	VN9063	GW		
ug/L		SS4-5	6-Apr-19	8.21	8.21	0.05	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	3.04	3.04	0.05	VN9065	GW		
ug/L	SS5-4	5-Apr-19	1.99	1.99	0.05	VN9066	GW			

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SS5-5	5-Apr-19	1.85	1.85	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	2	2	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	1.3	1.3	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	5.8	5.8	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	1.23	1.23	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	3.52	3.52	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	6.33	6.33	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	1.52	1.52	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.426	0.426	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.93	0.93	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	1.61	1.61	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.646	0.646	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	1.4	1.4	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.258	0.258	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	4.72	4.72	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.418	0.418	0.05	VT3157	GW	
Sulphate (SO <sub>4</sub> ) - Dissolved	mg/L	SS1-4	6-Apr-19	0.51	0.51	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	0.67	0.67	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	1.46	1.46	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	1.1	1.1	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	0.94	0.94	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	0.85	0.85	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	0.88	0.88	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	0.6	0.6	0.5	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	0.76	0.76	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.50	0.25	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	0.64	0.64	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	0.8	0.8	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	0.56	0.56	0.5	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Sulphur (S) - Dissolved	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	<0.50	0.2500	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	<0.50	0.25	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	<0.50	0.25	0.5	VN9062	GW	
	mg/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	<0.50	0.25	0.5	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.2500	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.50	0.25	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	ug/L	FF1-2	4-May-19	<500	250	500	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	ug/L	LDS-1	26-Apr-19	<500	250	500	VT3155	GW	
	mg/L	FFB-4	5-May-19	<0.50	0.25	0.5	VT3156	GW	
	ug/L	FFB-4	5-May-19	<500	250	500	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	
	ug/L	FFA-4	8-May-19	<500	250	500	VT3157	GW	
Sulphur (S) - Total	mg/L	SS1-4	6-Apr-19	<0.50	0.25	0.5	VN9055	GW	
	mg/L	SS1-5	6-Apr-19	<0.50	0.25	0.5	VN9056	GW	
	mg/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	ug/L	SS2-1-1	7-Apr-19	<500	250	500	VN9057	GW	
	mg/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	ug/L	SS2-1-1B	7-Apr-19	<500	250	500	VN9058	GW	
	mg/L	SS3-5	7-Apr-19	<0.50	0.25	0.5	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	<0.50	0.25	0.5	VN9060	GW	
	mg/L	SS3-7	7-Apr-19	<0.50	0.25	0.5	VN9061	GW	
	mg/L	SS3-8	7-Apr-19	<0.50	0.3	0.5	VN9062	GW	
ug/L	SS3-8	7-Apr-19	<500	250	500	VN9062	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	ug/L	SS4-4	6-Apr-19	<500	250	500	VN9063	GW	
	mg/L	SS4-5	6-Apr-19	<0.50	0.25	0.5	VN9064	GW	
	mg/L	SS5-3-4	5-Apr-19	<0.50	0.25	0.5	VN9065	GW	
	ug/L	SS5-3-4	5-Apr-19	<500	250	500	VN9065	GW	
	mg/L	SS5-4	5-Apr-19	<0.50	0.25	0.5	VN9066	GW	
	ug/L	SS5-4	5-Apr-19	<500	250	500	VN9066	GW	
	mg/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	mg/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	mg/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	mg/L	SSC-3	5-Apr-19	<0.50	0.25	0.5	VN9070	GW	
	ug/L	SSC-3	5-Apr-19	<500	250	500	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	ug/L	SSC-1-5	5-Apr-19	<500	250	500	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	<0.50	0.25	0.5	VN9072	GW	
	ug/L	SS5-3-5	5-Apr-19	<500	250	500	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	<0.50	0.25	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	<0.50	0.2500	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	ug/L	FF1-2	4-May-19	<500	250	500	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	ug/L	LDS-1	26-Apr-19	<500	250	500	VT3155	GW	
	mg/L	FFB-4	5-May-19	<0.50	0.25	0.5	VT3156	GW	
	ug/L	FFB-4	5-May-19	<500	250	500	VT3156	GW	
	mg/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	
	ug/L	FFA-4	8-May-19	<500	250	500	VT3157	GW	
Thallium (Tl) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.0020	0.001	0.002	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.0020	0.001	0.002	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.0020	0.001	0.002	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.0020	0.001	0.002	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.0022	0.0022	0.002	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.0020	0.00	0.002	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.0020	0.001	0.002	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.0020	0.001	0.002	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.0020	0.001	0.002	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.0020	0.001	0.002	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.0020	0.001	0.002	VN9067	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-1-4	5-Apr-19	<0.0020	0.001	0.002	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.0020	0.001	0.002	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.0020	0.001	0.002	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0020	0.001	0.002	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.0020	0.001	0.002	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0020	0.001	0.002	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0020	0.001	0.002	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.0020	0.001	0.002	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0020	0.001	0.002	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0020	0.001	0.002	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0020	0.001	0.002	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.0020	0.001	0.002	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.0020	0.001	0.002	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.0024	0.0024	0.002	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.0020	0.001	0.002	VT3157	GW	
Thallium (Tl) - Total	ug/L	SS1-4	6-Apr-19	<0.0020	0.001	0.002	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	<0.0020	0.001	0.002	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.0020	0.001	0.002	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	<0.0020	0.001	0.002	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	<0.0020	0.001	0.002	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.0020	0.001	0.002	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.0020	0.001	0.002	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	<0.0020	0.001	0.002	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	<0.0020	0.001	0.002	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	<0.0020	0.001	0.002	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.0020	0.001	0.002	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.0020	0.001	0.002	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.0020	0.001	0.002	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.0020	0.001	0.002	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.0020	0.001	0.002	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	<0.0020	0.001	0.002	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.0020	0.001	0.002	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.0020	0.001	0.002	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.0020	0.001	0.002	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.0020	0.001	0.002	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.0020	0.001	0.002	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.0020	0.001	0.002	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.0034	0.0034	0.002	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.0020	0.001	0.002	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.0034	0.0034	0.002	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.0020	0.001	0.002	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Tin (Sn) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.010	0.005	0.01	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	<0.010	0.005	0.01	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.010	0.005	0.01	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	<0.010	0.005	0.01	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	<0.010	0.005	0.01	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	<0.010	0.005	0.01	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	<0.010	0.005	0.01	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	<0.010	0.005	0.01	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	<0.010	0.005	0.01	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	<0.010	0.005	0.01	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	<0.010	0.005	0.01	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	<0.010	0.005	0.01	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	<0.010	0.005	0.01	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	<0.010	0.005	0.01	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	<0.010	0.005	0.01	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	<0.010	0.005	0.01	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	0.01	0.01	0.01	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	<0.010	0.005	0.01	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	<0.010	0.005	0.01	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	<0.010	0.005	0.01	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	<0.010	0.005	0.01	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	<0.010	0.005	0.01	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	<0.010	0.005	0.01	VN5138	GW		
	ug/L	FF1-2	4-May-19	<0.010	0.005	0.01	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	<0.010	0.005	0.01	VT3155	GW		
	ug/L	FFB-4	5-May-19	<0.010	0.005	0.01	VT3156	GW		
	ug/L	FFA-4	8-May-19	<0.010	0.005	0.01	VT3157	GW		
	Tin (Sn) - Total	ug/L	SS1-4	6-Apr-19	<0.010	0.005	0.01	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	<0.010	0.005	0.01	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.010	0.005	0.01	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.010	0.01	0.01	VN9058	GW		
ug/L		SS3-5	7-Apr-19	<0.010	0.005	0.01	VN9059	GW		
ug/L		SS3-6	7-Apr-19	0.011	0.011	0.01	VN9060	GW		
ug/L		SS3-7	7-Apr-19	<0.010	0.01	0.01	VN9061	GW		
ug/L		SS3-8	7-Apr-19	<0.010	0.005	0.01	VN9062	GW		
ug/L		SS4-4	6-Apr-19	<0.010	0.005	0.01	VN9063	GW		
ug/L		SS4-5	6-Apr-19	<0.010	0.005	0.01	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	0.013	0.013	0.01	VN9065	GW		
ug/L		SS5-4	5-Apr-19	<0.010	0.005	0.01	VN9066	GW		
ug/L		SS5-5	5-Apr-19	<0.010	0.005	0.01	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	<0.010	0.005	0.01	VN9068	GW		
ug/L		SSC-2	6-Apr-19	<0.010	0.01	0.01	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	<0.010	0.005	0.01	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.010	0.005	0.01	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.01	0.01	0.01	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.010	0.005	0.01	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.010	0.005	0.01	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.010	0.005	0.01	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.010	0.005	0.01	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.010	0.005	0.01	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.010	0.005	0.01	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.045	0.045	0.01	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.010	0.005	0.01	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.010	0.005	0.01	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.010	0.005	0.01	VT3157	GW	
Titanium (Ti) - Dissolved	ug/L	SS1-4	6-Apr-19	2.4	2.4	0.5	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	2.3	2.3	0.5	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.76	0.76	0.5	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	2.15	2.15	0.5	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.72	0.72	0.5	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	1.27	1.27	0.5	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	<0.50	0.25	0.5	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	2.93	2.93	0.5	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	3.16	3.16	0.5	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	1.47	1.47	0.5	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.50	0.25	0.5	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.8	0.8	0.5	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	4.49	4.49	0.5	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	1.26	1.26	0.5	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.50	0.25	0.5	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.50	0.25	0.5	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.65	0.65	0.5	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.50	0.25	0.5	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.50	0.25	0.5	VT3155	GW	
	ug/L	FFB-4	5-May-19	1.3	1.3	0.5	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.50	0.25	0.5	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Titanium (Ti) - Total	ug/L	SS1-4	6-Apr-19	3.37	3.37	0.5	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	1.55	1.55	0.5	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.50	0.25	0.5	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	0.75	0.75	0.5	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	3.25	3.25	0.5	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	4.94	4.94	0.5	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	2.65	2.65	0.5	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	2.19	2.19	0.5	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	2.12	2.12	0.5	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	5.9	5.9	0.5	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	3.49	3.49	0.5	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	<0.50	0.25	0.5	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	<0.50	0.25	0.5	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	0.72	0.72	0.5	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	1.1	1.1	0.5	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	<0.50	0.25	0.5	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	5.27	5.27	0.5	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	2.49	2.49	0.5	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	1.9	1.9	0.5	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	<0.50	0.25	0.5	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	0.66	0.66	0.5	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	0.81	0.81	0.5	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	<0.50	0.25	0.5	VN5138	GW		
	ug/L	FF1-2	4-May-19	7.78	7.78	0.5	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	0.71	0.71	0.5	VT3155	GW		
	ug/L	FFB-4	5-May-19	6.88	6.88	0.5	VT3156	GW		
	ug/L	FFA-4	8-May-19	1.09	1.09	0.5	VT3157	GW		
	Total Dissolved Solids	mg/L	SS1-4	6-Apr-19	2	2	0.5	VN9055	GW	
		mg/L	SS1-5	6-Apr-19	1	1	0.5	VN9056	GW	
mg/L		SS2-1-1	7-Apr-19	<0.50	0.25	0.5	VN9057	GW		
mg/L		SS2-1-1B	7-Apr-19	1	1	0.5	VN9058	GW		
mg/L		SS3-5	7-Apr-19	2	2	0.5	VN9059	GW		
mg/L		SS3-6	7-Apr-19	11	11	0.5	VN9060	GW		
mg/L		SS3-7	7-Apr-19	11	11.000	0.5	VN9061	GW		
mg/L		SS3-8	7-Apr-19	7	7	0.5	VN9062	GW		
mg/L		SS4-4	6-Apr-19	4	4	0.5	VN9063	GW		
mg/L		SS4-5	6-Apr-19	4	4	0.5	VN9064	GW		
mg/L		SS5-3-4	5-Apr-19	3	3	0.5	VN9065	GW		
mg/L		SS5-4	5-Apr-19	2	2	0.5	VN9066	GW		
mg/L		SS5-5	5-Apr-19	1	1.00	0.5	VN9067	GW		
mg/L		SSC-1-4	5-Apr-19	1	1	0.5	VN9068	GW		
mg/L		SSC-2	6-Apr-19	1	1.0000	0.5	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	mg/L	SSC-3	5-Apr-19	3	3	0.5	VN9070	GW	
	mg/L	SSC-1-5	5-Apr-19	1	1	0.5	VN9071	GW	
	mg/L	SS5-3-5	5-Apr-19	2	2	0.5	VN9072	GW	
	mg/L	SS3-4	7-Apr-19	4	4	0.5	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	1	1	0.5	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	1	1	0.5	VN5135	GW	
	mg/L	SS2-3	4-Apr-19	1	1.000	0.5	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	2	2	0.5	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	1	1	0.5	VN5138	GW	
	mg/L	FF1-2	4-May-19	2	2	0.5	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	1	1	0.5	VT3155	GW	
	mg/L	FFB-4	5-May-19	2	2	0.5	VT3156	GW	
	mg/L	FFA-4	8-May-19	1	1	0.5	VT3157	GW	
	mg/L	SS1-4	6-Apr-19	6.3	6.3	1	VN9055	GW	RDL raised due to limited initial sample amount.
	mg/L	SS1-5	6-Apr-19	7.1	7.1	1	VN9056	GW	RDL raised due to limited initial sample amount.
	mg/L	SS2-1-1	7-Apr-19	4.6	4.6	1	VN9057	GW	RDL raised due to limited initial sample amount.
	mg/L	SS2-1-1B	7-Apr-19	3.3	3.300	1	VN9058	GW	RDL raised due to limited initial sample amount.
	mg/L	SS3-5	7-Apr-19	8	8	1	VN9059	GW	
	mg/L	SS3-6	7-Apr-19	18.7	18.7	1	VN9060	GW	RDL raised due to limited initial sample amount.
	mg/L	SS3-7	7-Apr-19	19.6	19.6	1	VN9061	GW	RDL raised due to limited initial sample amount.
	mg/L	SS3-8	7-Apr-19	12.2	12.2	1	VN9062	GW	RDL raised due to limited initial sample amount.
	mg/L	SS4-4	6-Apr-19	10.4	10.4	1	VN9063	GW	RDL raised due to limited initial sample amount.
	mg/L	SS4-5	6-Apr-19	10.2	10.200	1	VN9064	GW	RDL raised due to limited initial sample amount.
	mg/L	SS5-3-4	5-Apr-19	7.9	7.9	1	VN9065	GW	RDL raised due to limited initial sample amount.
	mg/L	SS5-4	5-Apr-19	6	6	1	VN9066	GW	RDL raised due to limited initial sample amount.
	mg/L	SS5-5	5-Apr-19	6.1	6.1	1	VN9067	GW	RDL raised due to limited initial sample amount.
	mg/L	SSC-1-4	5-Apr-19	7.6	7.6	1	VN9068	GW	RDL raised due to limited initial sample amount.
	mg/L	SSC-2	6-Apr-19	5.1	5.100	1	VN9069	GW	RDL raised due to limited initial sample amount.
	mg/L	SSC-3	5-Apr-19	8.5	8.5	1	VN9070	GW	RDL raised due to limited initial sample amount.
	mg/L	SSC-1-5	5-Apr-19	5.2	5.2	1	VN9071	GW	RDL raised due to limited initial sample amount.
	mg/L	SS5-3-5	5-Apr-19	10	10	1	VN9072	GW	RDL raised due to limited initial sample amount.
	mg/L	SS3-4	7-Apr-19	9.4	9.400	1	VN9073	GW	
	mg/L	SS2-1	7-Apr-19	2.8	2.8	1	VN5134	GW	
	mg/L	SS2-2-4	7-Apr-19	2.9	2.9	1	VN5135	GW	RDL raised due to limited initial sample amount.
	mg/L	SS2-3	4-Apr-19	3.3	3.3	1	VN5136	GW	
	mg/L	SS2-4	4-Apr-19	2	2.000	1	VN5137	GW	
	mg/L	SS2-2-5	7-Apr-19	4	4	1	VN5138	GW	
	mg/L	FF1-2	4-May-19	<1.0	0.5	1	VT3154	GW	
	mg/L	LDS-1	26-Apr-19	<1.0	0.5	1	VT3155	GW	
	mg/L	FFB-4	5-May-19	1.6	1.600	1	VT3156	GW	
	mg/L	FFA-4	8-May-19	<1.0	0.5	1	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Total Suspended Solids	mg/L	SS1-4	6-Apr-19	39.6	39.6	1	VN9055	GW		
	mg/L	SS1-5	6-Apr-19	38.1	38.1	1	VN9056	GW		
	mg/L	SS2-1-1	7-Apr-19	<1.0	0.5	1	VN9057	GW		
	mg/L	SS2-1-1B	7-Apr-19	<1.0	0.5	1	VN9058	GW		
	mg/L	SS3-5	7-Apr-19	35.1	35.1	1	VN9059	GW		
	mg/L	SS3-6	7-Apr-19	95.5	95.5	1	VN9060	GW		
	mg/L	SS3-7	7-Apr-19	139	139	1	VN9061	GW		
	mg/L	SS3-8	7-Apr-19	70.1	70.1	1	VN9062	GW		
	mg/L	SS4-4	6-Apr-19	48	48	1	VN9063	GW		
	mg/L	SS4-5	6-Apr-19	37.1	37.1	1	VN9064	GW		
	mg/L	SS5-3-4	5-Apr-19	128	128	1	VN9065	GW		
	mg/L	SS5-4	5-Apr-19	51.4	51.4	1	VN9066	GW		
	mg/L	SS5-5	5-Apr-19	25.3	25.3	1	VN9067	GW		
	mg/L	SSC-1-4	5-Apr-19	14.3	14.3	1	VN9068	GW		
	mg/L	SSC-2	6-Apr-19	21.8	21.8	1	VN9069	GW		
	mg/L	SSC-3	5-Apr-19	43.7	43.7	1	VN9070	GW		
	mg/L	SSC-1-5	5-Apr-19	12.5	12.5	1	VN9071	GW		
	mg/L	SS5-3-5	5-Apr-19	114	114	1	VN9072	GW		
	mg/L	SS3-4	7-Apr-19	51.5	51.5	1	VN9073	GW		
	mg/L	SS2-1	7-Apr-19	18.8	18.8	1.1	VN5134	GW	RDL raised due to limited initial sample amount.	
	mg/L	SS2-2-4	7-Apr-19	14.3	14.3	1.1	VN5135	GW	RDL raised due to limited initial sample amount.	
	mg/L	SS2-3	4-Apr-19	21.3	21.3	1.1	VN5136	GW	RDL raised due to limited initial sample amount.	
	mg/L	SS2-4	4-Apr-19	29.9	29.9	1.1	VN5137	GW	RDL raised due to limited initial sample amount.	
	mg/L	SS2-2-5	7-Apr-19	19.5	19.5	1.1	VN5138	GW	RDL raised due to limited initial sample amount.	
	mg/L	FF1-2	4-May-19	<1.0	0.5	1	VT3154	GW		
	mg/L	LDS-1	26-Apr-19	<1.0	0.5	1	VT3155	GW		
	mg/L	FFB-4	5-May-19	<1.0	0.5	1	VT3156	GW		
	mg/L	FFA-4	8-May-19	<1.0	0.5	1	VT3157	GW		
	Turbidity	NTU	SS1-4	6-Apr-19	10.2	10.2	0.1	VN9055	GW	
		NTU	SS1-5	6-Apr-19	6.67	6.67	0.1	VN9056	GW	
NTU		SS2-1-1	7-Apr-19	0.13	0.13	0.1	VN9057	GW		
NTU		SS2-1-1B	7-Apr-19	0.21	0.21	0.1	VN9058	GW		
NTU		SS3-5	7-Apr-19	8.31	8.31	0.1	VN9059	GW		
NTU		SS3-6	7-Apr-19	22.7	22.7	0.1	VN9060	GW		
NTU		SS3-7	7-Apr-19	36.5	36.5	0.1	VN9061	GW		
NTU		SS3-8	7-Apr-19	22.2	22.2	0.1	VN9062	GW		
NTU		SS4-4	6-Apr-19	14.4	14.4	0.1	VN9063	GW		
NTU		SS4-5	6-Apr-19	12.3	12.3	0.1	VN9064	GW		
NTU		SS5-3-4	5-Apr-19	31.4	31.4	0.1	VN9065	GW		
NTU		SS5-4	5-Apr-19	15.5	15.5	0.1	VN9066	GW		
NTU		SS5-5	5-Apr-19	5.51	5.51	0.1	VN9067	GW		
NTU		SSC-1-4	5-Apr-19	3.15	3.15	0.1	VN9068	GW		
NTU		SSC-2	6-Apr-19	4.94	4.94	0.1	VN9069	GW		



**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	NTU	SSC-3	5-Apr-19	8.64	8.64	0.1	VN9070	GW	
	NTU	SSC-1-5	5-Apr-19	3.62	3.62	0.1	VN9071	GW	
	NTU	SS5-3-5	5-Apr-19	32.8	32.8	0.1	VN9072	GW	
	NTU	SS3-4	7-Apr-19	13.9	13.9	0.1	VN9073	GW	
	NTU	SS2-1	7-Apr-19	1.12	1.12	0.1	VN5134	GW	
	NTU	SS2-2-4	7-Apr-19	1.65	1.65	0.1	VN5135	GW	
	NTU	SS2-3	4-Apr-19	4.96	4.96	0.1	VN5136	GW	
	NTU	SS2-4	4-Apr-19	1.01	1.01	0.1	VN5137	GW	
	NTU	SS2-2-5	7-Apr-19	2.87	2.87	0.1	VN5138	GW	
	NTU	FF1-2	4-May-19	4.1	4.1	0.1	VT3154	GW	
	NTU	LDS-1	26-Apr-19	1.2	1.2	0.1	VT3155	GW	
	NTU	FFB-4	5-May-19	5.2	5.2	0.1	VT3156	GW	
	NTU	FFA-4	8-May-19	3.3	3.3	0.1	VT3157	GW	
Uranium (U) - Dissolved	ug/L	SS1-4	6-Apr-19	0.0308	0.0308	0.002	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.0399	0.0399	0.002	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.0020	0.001	0.002	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	0.0023	0.0023	0.002	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.0266	0.0266	0.002	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.0732	0.0732	0.002	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	12.4	12.4	0.002	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.0456	0.0456	0.002	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.0285	0.0285	0.002	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.0305	0.0305	0.002	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.132	0.132	0.002	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.0642	0.0642	0.002	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.0568	0.0568	0.002	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	0.0341	0.0341	0.002	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	0.0484	0.0484	0.002	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.129	0.129	0.002	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.0275	0.0275	0.002	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.176	0.176	0.002	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.0559	0.0559	0.002	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.0184	0.0184	0.002	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.0204	0.0204	0.002	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	0.0294	0.0294	0.002	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.0306	0.0306	0.002	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.0206	0.0206	0.002	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.0065	0.0065	0.002	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	0.0048	0.0048	0.002	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.0237	0.0237	0.002	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.0020	0.001	0.002	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Uranium (U) - Total	ug/L	SS1-4	6-Apr-19	0.0472	0.0472	0.002	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	0.041	0.041	0.002	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	0.003	0.0	0.002	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	<0.0020	0.001	0.002	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	0.0245	0.0245	0.002	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	0.0716	0.0716	0.002	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	0.141	0.141	0.002	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	0.0674	0.0674	0.002	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	0.0339	0.0339	0.002	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	0.0256	0.0256	0.002	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	0.17	0.17	0.002	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	0.0739	0.0739	0.002	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	0.0577	0.0577	0.002	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	0.0368	0.0368	0.002	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	0.0719	0.0719	0.002	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	0.131	0.131	0.002	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	0.0306	0.0306	0.002	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	0.198	0.198	0.002	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	0.0889	0.0889	0.002	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	0.0167	0.0167	0.002	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	0.0195	0.0195	0.002	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	0.0258	0.0258	0.002	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	0.032	0.032	0.002	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	0.023	0.023	0.002	VN5138	GW		
	ug/L	FF1-2	4-May-19	0.0877	0.0877	0.002	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	0.0206	0.0206	0.002	VT3155	GW		
	ug/L	FFB-4	5-May-19	0.0816	0.0816	0.002	VT3156	GW		
	ug/L	FFA-4	8-May-19	0.0254	0.0254	0.002	VT3157	GW		
	Vanadium (V) - Dissolved	ug/L	SS1-4	6-Apr-19	0.111	0.111	0.05	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	0.115	0.115	0.05	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW		
ug/L		SS3-5	7-Apr-19	0.06	0.06	0.05	VN9059	GW		
ug/L		SS3-6	7-Apr-19	0.336	0.336	0.05	VN9060	GW		
ug/L		SS3-7	7-Apr-19	0.583	0.583	0.05	VN9061	GW		
ug/L		SS3-8	7-Apr-19	0.154	0.154	0.05	VN9062	GW		
ug/L		SS4-4	6-Apr-19	0.171	0.171	0.05	VN9063	GW		
ug/L		SS4-5	6-Apr-19	0.154	0.154	0.05	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	0.245	0.245	0.05	VN9065	GW		
ug/L		SS5-4	5-Apr-19	0.09	0.09	0.05	VN9066	GW		
ug/L		SS5-5	5-Apr-19	0.066	0.066	0.05	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW		
ug/L		SSC-2	6-Apr-19	<0.050	0.025	0.05	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	0.092	0.092	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.050	0.025	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.202	0.202	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.142	0.142	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.050	0.025	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.051	0.051	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.050	0.025	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.063	0.063	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.050	0.025	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.050	0.025	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.050	0.025	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.050	0.025	0.05	VT3157	GW	
Vanadium (V) - Total	ug/L	SS1-4	6-Apr-19	0.086	0.086	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.13	0.13	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	0.071	0.071	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.313	0.313	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.473	0.473	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.144	0.144	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.153	0.153	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.173	0.173	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.193	0.193	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.134	0.134	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.050	0.025	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.050	0.025	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.114	0.114	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.050	0.025	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.184	0.184	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.191	0.191	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.050	0.025	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.050	0.0	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.050	0.025	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.057	0.057	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.216	0.216	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.050	0.025	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	0.277	0.2770	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.050	0.025	0.05	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment	
Zinc (Zn) - Dissolved	ug/L	SS1-4	6-Apr-19	1.59	1.59	0.1	VN9055	GW		
	ug/L	SS1-5	6-Apr-19	1.35	1.35	0.1	VN9056	GW		
	ug/L	SS2-1-1	7-Apr-19	0.53	0.53	0.1	VN9057	GW		
	ug/L	SS2-1-1B	7-Apr-19	0.39	0.39	0.1	VN9058	GW		
	ug/L	SS3-5	7-Apr-19	0.46	0.46	0.1	VN9059	GW		
	ug/L	SS3-6	7-Apr-19	<0.10	0.05	0.1	VN9060	GW		
	ug/L	SS3-7	7-Apr-19	0.86	0.86	0.1	VN9061	GW		
	ug/L	SS3-8	7-Apr-19	0.35	0.35	0.1	VN9062	GW		
	ug/L	SS4-4	6-Apr-19	0.34	0.34	0.1	VN9063	GW		
	ug/L	SS4-5	6-Apr-19	0.37	0.37	0.1	VN9064	GW		
	ug/L	SS5-3-4	5-Apr-19	0.94	0.94	0.1	VN9065	GW		
	ug/L	SS5-4	5-Apr-19	1.54	1.54	0.1	VN9066	GW		
	ug/L	SS5-5	5-Apr-19	1.37	1.37	0.1	VN9067	GW		
	ug/L	SSC-1-4	5-Apr-19	1.06	1.06	0.1	VN9068	GW		
	ug/L	SSC-2	6-Apr-19	1.31	1.31	0.1	VN9069	GW		
	ug/L	SSC-3	5-Apr-19	1.09	1.09	0.1	VN9070	GW		
	ug/L	SSC-1-5	5-Apr-19	1.48	1.48	0.1	VN9071	GW		
	ug/L	SS5-3-5	5-Apr-19	1.15	1.15	0.1	VN9072	GW		
	ug/L	SS3-4	7-Apr-19	0.43	0.43	0.1	VN9073	GW		
	ug/L	SS2-1	7-Apr-19	0.69	0.69	0.1	VN5134	GW		
	ug/L	SS2-2-4	7-Apr-19	0.71	0.71	0.1	VN5135	GW		
	ug/L	SS2-3	4-Apr-19	0.86	0.86	0.1	VN5136	GW		
	ug/L	SS2-4	4-Apr-19	1.23	1.23	0.1	VN5137	GW		
	ug/L	SS2-2-5	7-Apr-19	0.77	0.77	0.1	VN5138	GW		
	ug/L	FF1-2	4-May-19	0.87	0.87	0.1	VT3154	GW		
	ug/L	LDS-1	26-Apr-19	2.63	2.63	0.1	VT3155	GW		
	ug/L	FFB-4	5-May-19	2.69	2.69	0.1	VT3156	GW		
	ug/L	FFA-4	8-May-19	1.59	1.59	0.1	VT3157	GW		
	Zinc (Zn) - Total	ug/L	SS1-4	6-Apr-19	1.48	1.48	0.1	VN9055	GW	
		ug/L	SS1-5	6-Apr-19	1.48	1.48	0.1	VN9056	GW	
ug/L		SS2-1-1	7-Apr-19	0.41	0.41	0.1	VN9057	GW		
ug/L		SS2-1-1B	7-Apr-19	0.5	0.5	0.1	VN9058	GW		
ug/L		SS3-5	7-Apr-19	0.53	0.53	0.1	VN9059	GW		
ug/L		SS3-6	7-Apr-19	<0.10	0.05	0.1	VN9060	GW		
ug/L		SS3-7	7-Apr-19	0.83	0.83	0.1	VN9061	GW		
ug/L		SS3-8	7-Apr-19	0.41	0.41	0.1	VN9062	GW		
ug/L		SS4-4	6-Apr-19	0.28	0.28	0.1	VN9063	GW		
ug/L		SS4-5	6-Apr-19	0.45	0.45	0.1	VN9064	GW		
ug/L		SS5-3-4	5-Apr-19	0.92	0.92	0.1	VN9065	GW		
ug/L		SS5-4	5-Apr-19	1.33	1.33	0.1	VN9066	GW		
ug/L		SS5-5	5-Apr-19	1.6	1.600	0.1	VN9067	GW		
ug/L		SSC-1-4	5-Apr-19	1.18	1.180	0.1	VN9068	GW		
ug/L		SSC-2	6-Apr-19	1.16	1.16	0.1	VN9069	GW		

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
	ug/L	SSC-3	5-Apr-19	0.86	0.86	0.1	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	1.61	1.61	0.1	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	1.27	1.27	0.1	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.59	0.59	0.1	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	0.64	0.64	0.1	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	0.87	0.87	0.1	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	1	1	0.1	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	0.96	0.96	0.1	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	0.91	0.91	0.1	VN5138	GW	
	ug/L	FF1-2	4-May-19	1.69	1.69	0.1	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	1.1	1.1	0.1	VT3155	GW	
	ug/L	FFB-4	5-May-19	1.37	1.3700	0.1	VT3156	GW	
	ug/L	FFA-4	8-May-19	1.1	1.1	0.1	VT3157	GW	
Zirconium (Zr) - Dissolved	ug/L	SS1-4	6-Apr-19	<0.050	0.025	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.078	0.078	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	<0.050	0.025	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.050	0.025	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.076	0.076	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.229	0.229	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	0.113	0.113	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.063	0.063	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.064	0.064	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.099	0.099	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.076	0.076	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	0.095	0.095	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.050	0.025	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	<0.050	0.025	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	0.055	0.055	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.208	0.208	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	0.117	0.117	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.050	0.025	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.050	0.025	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.050	0.025	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.050	0.025	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	<0.050	0.0	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.050	0.025	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.050	0.025	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	<0.050	0.025	0.05	VT3157	GW	

**Appendix D: Snow Water Chemistry Analytical Results**

Parameter	Unit	Site	Date	Data Point	Graphable Value	RDL	Lab Ref	Sample Type	Comment
Zirconium (Zr) - Total	ug/L	SS1-4	6-Apr-19	0.112	0.112	0.05	VN9055	GW	
	ug/L	SS1-5	6-Apr-19	0.115	0.12	0.05	VN9056	GW	
	ug/L	SS2-1-1	7-Apr-19	<0.050	0.025	0.05	VN9057	GW	
	ug/L	SS2-1-1B	7-Apr-19	0.087	0.087	0.05	VN9058	GW	
	ug/L	SS3-5	7-Apr-19	<0.050	0.025	0.05	VN9059	GW	
	ug/L	SS3-6	7-Apr-19	0.175	0.175	0.05	VN9060	GW	
	ug/L	SS3-7	7-Apr-19	0.208	0.208	0.05	VN9061	GW	
	ug/L	SS3-8	7-Apr-19	<0.050	0.025	0.05	VN9062	GW	
	ug/L	SS4-4	6-Apr-19	0.099	0.099	0.05	VN9063	GW	
	ug/L	SS4-5	6-Apr-19	0.109	0.109	0.05	VN9064	GW	
	ug/L	SS5-3-4	5-Apr-19	0.166	0.166	0.05	VN9065	GW	
	ug/L	SS5-4	5-Apr-19	0.055	0.055	0.05	VN9066	GW	
	ug/L	SS5-5	5-Apr-19	<0.050	0.025	0.05	VN9067	GW	
	ug/L	SSC-1-4	5-Apr-19	<0.050	0.025	0.05	VN9068	GW	
	ug/L	SSC-2	6-Apr-19	<0.050	0.025	0.05	VN9069	GW	
	ug/L	SSC-3	5-Apr-19	0.055	0.1	0.05	VN9070	GW	
	ug/L	SSC-1-5	5-Apr-19	<0.050	0.025	0.05	VN9071	GW	
	ug/L	SS5-3-5	5-Apr-19	0.158	0.158	0.05	VN9072	GW	
	ug/L	SS3-4	7-Apr-19	<0.050	0.025	0.05	VN9073	GW	
	ug/L	SS2-1	7-Apr-19	<0.050	0.025	0.05	VN5134	GW	
	ug/L	SS2-2-4	7-Apr-19	<0.050	0.025	0.05	VN5135	GW	
	ug/L	SS2-3	4-Apr-19	<0.050	0.025	0.05	VN5136	GW	
	ug/L	SS2-4	4-Apr-19	<0.050	0.025	0.05	VN5137	GW	
	ug/L	SS2-2-5	7-Apr-19	<0.050	0.025	0.05	VN5138	GW	
	ug/L	FF1-2	4-May-19	0.051	0.051	0.05	VT3154	GW	
	ug/L	LDS-1	26-Apr-19	<0.050	0.025	0.05	VT3155	GW	
	ug/L	FFB-4	5-May-19	<0.050	0.025	0.05	VT3156	GW	
	ug/L	FFA-4	8-May-19	0.052	0.052	0.05	VT3157	GW	

## **APPENDIX E      DUST GAUGE COLLECTION STANDARD OPERATING PROCEDURE (ENVR-508-0112)**

**Environment**  
**STANDARD OPERATING PROCEDURE**

<b>Area No.:</b>	<b>8000</b>	<b>Document #:</b>	<b>ENVR-508-0112</b>
		<b>Revision:</b>	<b>5</b>
<b>Task Title:</b>	<b>SOP – Dust Gauge Collection</b>		

**Next Review:** 1 Year from Final Approval in Documentum  
**Effective Date:** Date on approved stamp in footer.

## 1 REFERENCES/RELATED DOCUMENTS

- 1.1 **ENVI-403-0112 - SOP Total Suspended Solids** - Located in: Diavik Intranet - SOPs – Environment Folder
- 1.2 **ENVR-301-0112 – SOP General Laboratory Safety** - Located in: Diavik Intranet – SOPs – Environment Folder
- 1.3 **ENVR-605-0112 - SOP Snowmobiles** – Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.4 **ENVR-602-0112 - SOP Watercraft** – Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.5 **ENVR-501-0112 - SOP Remote Field Safety** – Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.6 **ENVI-101-0813 - SOP Lightning Response** – Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.7 **ENVR-601-0112 – SOP Helicopter** - Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.8 **ENVI-135-0112 - Remote Field Safety Permit Form** – Located in: P:\DDMI Environment\10.0 Operational Control\10.2 Forms\Current Forms\Approved\Remote Field Safety Plans
- 1.9 **ENVI-178-0312 - Dust Gauge Collection Field Sheet** – Located in: P:\DDMI Environment\10.0 Operational Control\10.2 Forms\Current Forms\Approved

<b>Revision History</b>			
<b>Revision</b>	<b>Revision Description</b>	<b>Date of Revision</b>	<b>Author</b>
0	Initial Release	11-Jan-12	D. Meredith
1	New SOP format, Clarify procedures, adds photos.	23-Nov-14	D. Dul/ D. Bourassa
2	Format update	19-Jul-15	D. Birch
3	Annual Update	10-Feb-2016	S. Sinclair
4	New Template, clarification of representative sampling, decrease in oven temperature to be consistent with Standard Methods	04-Nov-16/10-Nov-16	S. Martin-Elson/N. Goodman



**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

5	Template and area manager updated	20-Oct-2017	S. Skinner
---	-----------------------------------	-------------	------------

<b>Authorized Electronically in Documentum By:</b>	
<b>Area Superintendent:</b>	D. Wells
<b>Area Manager:</b>	J. Kozian

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

CRITICAL RISKS ARE HIGHLIGHTED IN GREY

<p>Please click on the CRM Risks that are applicable for this SOP</p>	 <b>Aircraft transport</b>	 <b>Confined spaces</b>	 <b>Contact with electricity</b>
 <b>Drowning</b>	 <b>Entanglement and crushing</b>	 <b>Exposure to hazardous substances</b>	 <b>Fall from height</b>
 <b>Falling objects</b>	 <b>Lifting operations</b>	 <b>Slope failure</b>	 <b>Uncontrolled release of energy</b>
 <b>Underground fire</b>	 <b>Underground hazardous atmosphere</b>	 <b>Underground inrush</b>	 <b>Underground rock fall</b>
 <b>Unplanned initiation of explosives</b>	 <b>Vehicle collision or rollover</b>	 <b>Vehicle impact on person</b>	 <b>Wildlife</b>

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**



Dust Gauge Site 5 in the Summer



Dust Gauge Site 7 in the Winter



Dust Gauge Tubes in the Field Lab

**Description**

This Standard Operating Procedure (SOP) provides guidelines on procedures to follow when carrying out Dust Gauge Collections.

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

## 2 PURPOSE

The purpose of this Standard Operating Procedure is to outline the methodology for collecting dust gauges. This program is aimed at understanding dust deposition rates associated with project activities. Results collected from this program are compiled and placed in the Appendix of the annual AEMP report.

## 3 SCOPE

### 3.1 Scope of Procedure

This standard operating procedure (SOP) describes the responsibilities and processes for the deployment, collection and analysis of Dust Gauge Samples. These procedures apply to all Diavik Mine personnel and contractor personnel authorized for sample collection activities.

### 3.2 Scope of Activities

Twelve-dust gauges (10 sample sites, plus 2 control sites) are established on and around East Island for monitoring airborne dust particles. The-dust gauges are collected quarterly throughout the year.

## 4 DEFINITIONS

Definitions							
PPE	✓	GPS	✓	DO	✗	NTU	✗
MSDS	✗	SOP	✓	DI Water	✓	ELT	✗
Problem Bear	✓	JHA	✓	AEMP	✓	WLWB	✗
QA	✗	Groundwater	✗	COC	✓	PAL	✗
QC	✗	Seepage	✗	WHMIS	✗	ACTS	✗
Remote Work	✓	SNP	✗	TSS	✓	PROVE	✗
TSP							

See: ENVI-443-0415 - Environment Term Definitions - Located in: Diavik Intranet – SOPs – Environment Folder

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

## 5 RESPONSIBILITIES

See: ENVI-444-0415 - Environment Roles and Responsibilities - Located in: Diavik Intranet – SOPs – Environment Folder

## 6 PROCEDURE

### 6.1 Key HSEQ Aspects

Task Hazards							
Slip, Trip, Fall	✓	Chemical Contact	✗	Rotating Parts	✓	Uneven Terrain / Ground	✓
Sprain / Strain	✓	Fall into Water	✓	Firearms / Deterrents	✓	Perception	✓
Working Remotely	✓	Overhead Objects	✗	Dehydration	✓	Risk to Wildlife	✓
Aircraft	✓	Visibility	✓	Ergonomics	✗	Unfamiliar Area	✗
Watercraft Operation	✓	Fire	✗	Glass	✓	Falling	✗
Snowmobile Operation	✓	Line of Fire	✓	Fumes / Gases	✗	Confined Space	✗
Light Vehicle	✓	Cuts Scrapes	✓	Entanglement	✗	Heavy Equipment	✓
Lifting	✓	Pinch Points	✓	Stored Energy	✓	Extreme Weather	✓
Manual Labour	✓	Noise	✓	Burns	✓	Electrical	✗
Wildlife	✓	Spills	✓	Equipment Loss or Damage	✓	Sample Loss or Damage	✓

See: ENVI-445-0415 - Environment Hazard Definitions - Located in: Diavik Intranet – SOPs – Environment Folder

### 6.2 CRM Critical Risks

Critical Risk	Critical Control
Drowning	PFD
Vehicle collision or rollover	Seat Belt, Defensive driving, Segregation
Vehicle impact on person	Seat Belt, Defensive driving/walking, Segregation

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

Wildlife	Scans
Aircraft transport	PPE

### 6.3 Tools Required

<b>Supplies, Tools and Equipment</b>			
Tool / Equipment	Quantity	Supplies	Quantity
Snowmobile(2), Boat or Helicopter	1	Winter/Summer/Boat Survival Gear (Set)	1
GPS/ Loaded Coordinates	2	Spare Batteries	4
Satellite Phone	1	Personal Gear (per person)	1
Spot (per snowmobile)	1	Wildlife Deterrents (air horn/banger kit)	1
Camera (per person)	1	Field Permit and Map	1
Radio with spare battery (per person)	1	Adjustable Wrench's	1
Forceps, Pliers, Leatherman or Tweezers	1	Field Sheets	14
Clean Replacement Sample Tubes	6	Pencils, Pens or Markers	2
Glass Beakers (1000 mL)	6	Large/Clear/Heavy-duty Plastic Bags or Gloves	6
High Temp Oven	1	TSS Filters	12 - 36
Fire Proof Gloves/Tongs	1	Duct Tape	12 - 36
Vice Grips	1		

### 6.4 Procedural Steps

#### 6.4.1 Pre-Deployment

Spare tubes are stored in the Environment field lab Shelf B3. **Tubes needs to be cleaned and checked for leaks.** To clean and check for leaks fill spare tubes with water and leave overnight on counter in Environment Lab. If leaks are discovered tag out and make arrangements with truck shop to have them fixed.

#### 6.4.2 Sample Collection and Deployment

Depending on location and season samples are collected using various methods of transportation; you can walk, drive, boat, snowmobile or use a helicopter to access the various

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

sites. When using a Helicopter, a Hot Loading Variance is permitted (a JHA must be completed and signed off by OHSE Manager). The map in Figure 1 provides the Dust Gauges locations, and Table 1 provides the coordinates.




Figure 1: Map: Identifying Dust Gauge Sites

Table 1.0 below provides the coordinates for each Dust Gauge Site

STATION	EASTING	NORTHING	STATION	EASTING	NORTHING
Dust 01	533964	7154321	Dust 8	531401	7154146
Dust 2A	535678	7151339	Dust 9	541204	7152154
Dust 3	535024	7151872	Dust 10	532908	7148924
Dust 4	531397	7152127	Dust 11	531493	7150156
Dust 5	535696	7155138	Dust 12	529323	7151191
Dust 6	537502	7152934	Dust C1	534979	7144270
Dust 7	536819	7150510	Dust C2	528714	7153276

- When you arrive at the sample location, first inspect the station for damage (fiberglass tube on ground, station on angle etc.) and document anything noted on the Dust Gauge Collection Field Sheet - ENVI-178-0312.

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

- Carefully remove the copper tube out from the center of the fiberglass shield, keeping it upright. If the tube is stuck or frozen, try wiggling it, or tapping it near the bottom. If the tube is still stuck you may need extra leverage to free the tube and may if absolutely necessary use vice grips to grab the top and wiggle while pulling up. If it will not come free, you may have to remove the shield and pop the tube out. Be sure to replace the shield and insert a new tube afterwards. See photo 1 & 2 below



Photo 1: Tube Retrieval



Photo 2: Fiberglass Shield Removed

- Once retrieved, keep the tube upright, place an extra-large latex glove over top of tube and seal with clean plastic bag and duct tape. Ensure tube is labelled with the station



**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

number, date and time collected. Keep the tube upright and secure at all times during transport. See photo 3 below.

- Place a clean, leak tested tube into the fiberglass shield (the tube should be labelled with the Dust Gauge Site, deployment date and time). Note that tubes need to be *upright and secure in the base rims* in order for the sample to be considered representative. Some of the base rims are bent and the tubes will not seat in them properly. When this is the case, place rocks around the tube within the fiberglass shell to ensure that tube will stay upright.



Photo 3: Sealing the Tube

### 6.4..3 Sample Analysis

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

- Once back in the Environment Lab, carefully transfer sample into a triple rinsed 1000ml glass beaker. Extract all debris including bugs and twigs and be sure to triple rinse them into the beaker to capture all the dust particles. Rinse the copper tube with DI water until all dust particles are removed. Record the total volume of water on the Dust Gauge Collection Field Sheet- ENVI-178-0312. If snow is present stand up the sample tube in a clean plastic bag (prevents sample loss if there is a leak) and allow samples to melt before conducting the above procedure.
- Cover the 1000ml beaker with parafilm and store the sample in the fridge until samples can be analysed for Total Suspended Solids (ENVI-403-0112). This should be conducted as soon as possible because some solids may dissolve in water, especially after snow melt. Note that it may take multiple filters to complete one sample.
- The resulting filter(s) with the dust particles are put into ceramic crucibles; ensure that you record the sample id on the crucibles **in pencil** before putting them into the oven. (1 filter per crucible) See photo 4 below.



Photo 4: Ceramic Crucibles with filter

- The high temperature oven is set up in the fume hood with the fan running. Heavy-duty fire-proof gloves and long tongs are used when placing or removing the crucibles from the oven. Filters are processed in the oven at 550 degrees Celsius for one hour. Allow oven to heat up to temperature before use. See photo 5 & photo 6 below.

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**



Photo 5: High Heat Oven



Photo 6: Fire Proof Glove and Long Tongs

- When samples are removed from the oven, place the crucibles into their original labeled tin tray. Let the sample cool for at least 10 minutes before carefully removing the filters from their ceramic crucible using tweezers. Add any dust that has fallen off into the crucible to the top of the filter. Place the tin tray into the desiccator and allow the sample to cool further for a minimum of one hour.
- Remove the tin tray from the desiccator and weigh the filter according to the procedure outlined in the Total Suspended Solids SOP ENVI-403-0112.
- Record the results on the Dust Gauge Data Form (ENVI-178-0312) and in 13.14 Annual Dust Gauge Collection excel file in the P-Drive in for the given year.

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**SOP – Dust Gauge Collection**

- The dust fall deposition rate is determined using the equation below:

$$\text{Daily Dust fall Deposition (mg/dm}^2\text{/d)} = (\text{TP (mg)} / \text{SA (dm}^2\text{)}) / \text{TDD (d)}$$

Where:

**TP (mg)** = Total Particulate

**SA (dm<sup>2</sup>)** = Surface Area of Dust Gauge Collection Tube =  $(3.14 * (6.25 * 6.25)) * (100)$

**TDD** = Total Days Gauge was Deployed

Calculations are setup in the excel file. If you have any questions about entering this data contact your supervisor.

## 7 QUALITY OUTCOMES AND EXPECTATIONS

- 7.1 To safely complete the tasks outlined in this SOP, without incident.
- 7.2 Produce quality, accurate and repeatable results.

## **APPENDIX F      SNOW CORE SURVEY STANDARD OPERATING PROCEDURE (ENVR-512-0213)**

**Environment**  
**STANDARD OPERATING PROCEDURE**

<b>Area No.:</b>	<b>8000</b>	<b>Document #:</b>	<b>ENVR-512-0213</b>
		<b>Revision:</b>	<b>5</b>
<b>Task Title:</b>	<b>Snow Core Survey</b>		

**Next Review:** 1 Year from Final Approval in Documentum  
**Effective Date:** Date on approved stamp in footer.

## 1 REFERENCES/RELATED DOCUMENTS

- 1.1 **ENVR-501-0112 – SOP Remote Field Safety** - Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.2 **ENVR-605-0112 - SOP Snowmobile** - Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.3 **ENVR-301-0112 - SOP General Laboratory Safety** - Located in: Diavik Intranet – SOPs – Environment Folder
- 1.4 **ENVR-303-0112 - SOP Quality Assurance and Quality Control** - Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs
- 1.5 **ENVR-206-0112 - SOP Chain of Custody and Sample Shipment** - Located in: Diavik Intranet – SOPs – Environment Folder
- 1.6 **ENVR-403-0112 - SOP Total Suspended Solids Analysis** - Located in: Diavik Intranet – SOPs – Environment Folder
- 1.7 **ENVI-601-0916- Snowmobile Pre-Op Inspection** - Located in: P:\DDMI Environment\10.0 Operational Control\10.2 Forms\Current Forms\Approved\Check Sheets
- 1.8 **ENVI-135-0112 – Remote Field Safety Permit** - Located in: P:\DDMI Environment\10.0 Operational Control\10.2 Forms\Current Forms\Approved\Remote Field Safety Plans
- 1.9 **ENVI-177-0312 – Snow Sampling Field Sheet** - Located in: P:\DDMI Environment\10.0 Operational Control\10.2 Forms\Current Forms\Approved\Water Quality Forms

<b>Revision History</b>			
<b>Revision</b>	<b>Revision Description</b>	<b>Date of Revision</b>	<b>Author</b>
0	Original Issue	08-FEB-2012	D. Grabke
1	Updated Map for 2014, added SS3-6, SS3-7, SS3-8 sample points, updated to new environment SOP format	8-Apr-2014	D. Grabke
2	Format update	19-Jul-15	D. Birch
3	Format update	06-Dec-15	G.Reid
4	Format update	06-Nov-16	S. Martin-Elson
5	Format and area manager updated	20-Oct-2017	S. Skinner

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

<b>Authorized Electronically in Documentum By:</b>	
<b>Area Superintendent:</b>	D. Wells
<b>Area Manager:</b>	J. Kozian


**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

CRITICAL RISKS ARE HIGHLIGHTED IN GREY

<p>Please click on the CRM Risks that are applicable for this SOP</p>	 <b>Aircraft transport</b>	 <b>Confined spaces</b>	 <b>Contact with electricity</b>
 <b>Drowning</b>	 <b>Entanglement and crushing</b>	 <b>Exposure to hazardous substances</b>	 <b>Fall from height</b>
 <b>Falling objects</b>	 <b>Lifting operations</b>	 <b>Slope failure</b>	 <b>Uncontrolled release of energy</b>
 <b>Underground fire</b>	 <b>Underground hazardous atmosphere</b>	 <b>Underground inrush</b>	 <b>Underground rock fall</b>
 <b>Unplanned initiation of explosives</b>	 <b>Vehicle collision or rollover</b>	 <b>Vehicle impact on person</b>	 <b>Wildlife</b>



**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**



**Snow Survey Sample Program Map**

**Description**

Snow sampling at the Diavik Diamond Mine consists of snow core sampling to monitor dust deposition rates relative to predictions outlined in the DDMI Environmental Effects Report (1998), and snow water quality sampling in support of the DDMI Aquatic Effects Monitoring Program (AEMP).

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

## 2 PURPOSE

The purpose of this guide is to promote efficient and accurate snow surveying and to establish uniform sampling procedures.

## 3 SCOPE

### 3.1 Scope of Procedure

This standard operating procedure (SOP) describes the responsibilities and processes for collecting, documenting, and processing snow samples from at the Diavik mine site a surrounding Lac de Gras area (during ice cover). This procedure applies to all Diavik Diamond Mines personnel and contractor personnel authorized to collect samples under the current years Aurora Research Institute – Aquatic Effects Monitoring Program (AEMP) Research Permit.

### 3.2 Scope of Activities

This procedure has been developed to be consistent with the requirements of the AEMP design document and Environmental Effects Monitoring.

## 4 DEFINITIONS

Definitions							
PPE	✓	GPS	✓	DO	✗	NTU	✓
MSDS	✓	SOP	✓	DI Water	✓	ELT	✗
Problem Bear	✗	JHA	✓	AEMP	✗	WLWB	✗
QA	✗	Groundwater	✗	COC	✓	PAL	✗
QC	✓	Seepage	✗	WHMIS	✓	ACTS	✗
Remote Work	✓	SNP	✗	TSS	✓	PROVE	✗
TSP	✗						

See: ENVI-443-0415 - Environment Term Definitions - Located in: Diavik Intranet – SOPs – Environment Folder

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

**5 RESPONSIBILITIES**

See: **ENVI-444-0415 - Environment Roles and Responsibilities** - Located in: Diavik Intranet – SOPs – Environment Folder

**6 PROCEDURE****6.1 Key HSEQ Aspects**

<b>Task Hazards</b>							
Slip, Trip, Fall	✓	Chemical Contact	✓	Rotating Parts	✓	Uneven Terrain / Ground	✓
Sprain / Strain	✓	Fall into Water	✓	Firearms / Deterrents	✗	Perception	✓
Working Remotely	✓	Overhead Objects	✗	Dehydration	✓	Risk to Wildlife	✓
Aircraft	✗	Visibility	✓	Ergonomics	✓	Unfamiliar Area	✓
Watercraft Operation	✗	Fire	✓	Glass	✗	Falling	✓
Snowmobile Operation	✓	Line of Fire	✓	Fumes / Gases	✓	Confined Space	✓
Light Vehicle	✓	Cuts Scrapes	✓	Entanglement	✓	Heavy Equipment	✗
Lifting	✗	Pinch Points	✓	Stored Energy	✓	Extreme Weather	✓
Manual Labour	✓	Noise	✗	Burns	✓	Electrical	✗
Wildlife	✓	Spills	✓	Equipment Loss or Damage	✓	Sample Loss or Damage	✓

See: **ENVI-445-0415 - Environment Hazard Definitions** - Located in: Diavik Intranet – SOPs – Environment Folder

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

**6.2 CRM Critical Risks**

Critical Risk	Critical Control
Wildlife	Scans
Vehicle collision or rollover	Seatbelt, Segregation, Defensive Driving
Vehicle impact on person	Seatbelt, Segregation, Defensive Driving/Walking
Drowning	PFD
Exposure to hazardous substances	PPE
Fall from height	Stay away from edges

**6.3 Tools Required**

<b>Supplies, Tools and Equipment</b>			
Tool / Equipment	Quantity	Supplies	Quantity
Snow Corer & Handles	1	Snow Survey Map	2
Transport Case	1	GPS & Waypoints	2
Weighing Scale & Cradle	1	Satellite Phone	1
Sample Collection Bags & Zip Ties	20	Spot Personal Locator	2
Black Permanent Marker	2	Survival Kit	1
Field Data Sheets (Pens/Pencils) & Clipboard	10	Ice Rescue Kit	2
Snowmobile	1	Radio and Spare Battery	2
Toboggan	1	Coolers	5
Camera	1		

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

## 6.4 Procedural Steps

### 6.4.1 Planning

#### 6.4.1.1 Program Management

The sampling snow survey will be completed annually in April. The survey design consists of 27 sample stations, including 3 control areas established along 5 transect lines originating from East Island and extending onto Lac de Gras.

**Table 1 - Snowcore Sampling Locations**

Transect Line	Station	UTM E (NAD 83)	UTM W (NAD 83)	Description
1	SS1-1	533911	7154288	Land
	SS1-2	533924	7154367	Land
	SS1-3	533966	7154517	Land
	SS1-4	534485	7155094	Ice
	SS1-5	535099	7156279	Ice
2	SS2-1	537553	7153473	Ice
	SS2-2	537829	7153476	Ice
	SS2-3	538484	7153939	Ice
	SS2-4	539151	7154685	Ice
3	SS3-4	536585	7151002	Ice
	SS3-5	537623	7150817	Ice
	SS3-6	536305	7151564	Ice
	SS3-7	536344	7151366	Ice
	SS3-8	536688	7150810	Ice
4	SS4-1	531491	7152211	Land
	SS4-2	531356	7152261	Land
	SS4-3	531331	7152434	Land
	SS4-4	531141	7153167	Ice
	SS4-5	531405	7154116	Ice
5	SS5-1	533150	7148925	Land
	SS5-2	533150	7148875	Land
	SS5-3	533150	7148700	Ice
	SS5-4	533150	7147950	Ice
	SS5-5	533150	7146950	Ice
	Control 1	534983	7144271	Land
	Control 2	528714	7153281	Land
	Control 3	538650	7148750	Land

#### 6.4.1.2 Sampling Requirements – Dust Deposition

Dust deposition will be measured in-house using standard DDMI Total Suspended Solids laboratory procedures ENVR-403-0112. To facilitate this analysis, a composite sample comprised of a minimum of 3 snow cores will be collected at **ALL** (land and Ice) of the snow sampling stations. Water content must add up to a minimum 25 SWE for there to be sufficient water for analysis.

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

#### 6.4..1.3 Sampling Requirements – Snow Water Quality

Snow water quality samples are required for all sample stations on Lac de Gras identified as **on-ice** locations, as well as at the **three control** areas Table 1 - Snowcore Sampling Locations. Snow chemistry analysis will be conducted by Maxxam Analytics. To facilitate the required analysis Table 2- Snow Water Quality Sample Requirements, a composite sample comprised of a minimum of 3 snow cores with a water Content (SWE) of at least 100 will be collected at all of the snow water quality stations.

Table 2- Snow Water Quality Sample Requirements

Bottle Filling Sequence	Maxxam Bottle	Analysis	Minimum Volume of Sample Required (ml)	Preservative
1	Metals	Total ICP Metals (Ultra Low)	60mL Falcon Tube	1ml Nitric Acid – HNO <sub>3</sub>
2	Mercury	Total	40mL Glass Vial	1 ml Hydrochloric Acid - HCL
3	Nutrients	Ammonia	120mL HDPE	1 ml Sulfuric Acid
4	Routine	Sulfates, Nitrates, and Nitrites	1000mL HDPE	None Required
5	TSS, Turbidity & pH (Routine, 2 <sup>nd</sup> Bottle)	TSS, Turbidity & pH	1000mL HDPE	None Required
Total Sample Volume Required			2220ml + 30% Triple Rinse	<b>3000ml = 100SWE</b>

#### Determining anticipated sample volume from Snow Water Equivalent (SWE)

$$\text{Sample Water (ml)} = \text{SWE (cm)} \times 30(\text{cm}^2)$$

$$3000\text{ml} / 30\text{cm}^2 = \text{SWE} = 100\text{cm SWE}$$

**Therefore the aggregate Water Content SWE collected at a sample site must add up to at least 100 to ensure sufficient volume for water quality analysis.**

#### 6.4..2 Quality Assurance and Quality Control

Quality Control will be achieved through the use of duplicate and blank samples.

- Duplicate samples will be collected for a minimum 10% of the total samples (both Dust and Water Quality).
- At least **two** duplicate samples for the **dust** deposition samples
- At least **two** duplicate samples for the **water quality** samples
- One **equipment blank** will be collected and processed by Maxxam for water quality chemical analysis and internally for TSS. Maxxam DI water batch number will be

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

recorded on the field sheet. Equipment blanks will be completed from a single batch of DI water. Ensure that information from the DI water is recorded on the field sheet. Batch ID and Expiry date.

Quality assurance will be achieved via the following processes;

- Field data sheets will be utilized to document any and all observations, or occurrences that may impact the integrity of the samples, as well as corrective actions implemented to deal with those occurrences.
- If a sample becomes compromised, it will be recorded on the field data sheet, the sample will be discarded and a new sample collected.
- Individuals collecting the samples will take precautions to eliminate sample contamination during handling. Avoid touching insides of sample bags, avoid contacting the snow samples with anything other than the sampling corer.

Steps will be taken prior to, during, and after sampling to ensure all samples are correctly labeled with the sample date, sample ID, and sample type.

#### **6.4..3 Equipment Inspection & Preparation**

Prior to commencing the sampling program, inspect all sampling equipment for fouling, contamination, or damage. All of the polyacrylic tubes that will be utilized will be rinsed with a 10% Nitric Acid solution to ensure they are clean prior to the initiation of the program.

**Snow Corer** – Inspect the core tube to ensure measurement etchings are legible. Check the cutting edge to ensure blade is not deformed or damaged. Inspect the handles and threads to ensure they will assemble and disassemble without binding. Ensure the corer has been de-contaminated (acid rinsed) prior to commencing the program.

**Weighing Scale and Cradle** – Inspect the scale and cradle for deformity or damage

**Snowmobiles** – Inspection and use of snowmobiles will be in accordance with ENVR-603-0112

**Communication** – Inspect all communication equipment (Radios/Sat Phones, Spot Personal Locator) to ensure they are operational and functional. Ensure batteries (including spares) are fully charged. Ensure check-in times and procedures are clearly identified on the Field Work Permit.

**Navigation** – Inspect GPS and spare batteries to ensure equipment is functioning correctly. Verify that all sample locations are present and correct, and that the GPS Essentials file is loaded. Ensure an appropriate map is present to allow navigation back to site should the GPS fail.

**Personnel Gear** – In addition to winter survival equipment, each individual participating in off-site activities is expected to carry appropriate personal gear and equipment as is deemed necessary for the individual well being in an emergency situation.

**Survival Kit** – Inspect survival kit and Ice Rescue kits to ensure that they are complete and all items are functional and ready for use.

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

**Misc** – Individual core samples will be compiled into plastic bags (soil sampling bags) and sealed with zip-ties until they are ready for processing. Prior to the program commencing bags must be inspected to ensure they are new and clean.

#### **6.4..4 Sample Collection**

Navigate to the sampling locations – If the sample point falls on or immediately adjacent to the winter road adjust your location to the nearest area with natural snow coverage (i.e. not impacted by the road or snow clearing).

Assemble the corer by threading the handles onto the tube, and re-inspect the snow corer for fouling and/or damage that may have occurred during transportation.

Fill in station location and weather information on the field data sheet. Identify snow conditions and dust observations in the comments section.

Prior to collecting a sample re-inspect the tube to check for cleanliness.

- **Take the weight of the empty snowcorer at each station prior to collecting any samples.**
- **For all station requiring snow water chemistry, collect the dust sample first – this will effectively rinse the corer with ambient snow minimizing cross contamination from locations.**

Hold the corer vertically (cutter end down) and drive it through the snow to the ground/ice surface below. Be sure the cutter contacts the ground/ice as compacted snow/ice may feel like the ground and result in an incomplete core.

Before raising the corer, read the depth of the snow (nearest cm) and record on the field datasheet.

Turn the corer at least one full turn to cut the core loose from the ground/ice surface. Carefully raise the corer and record the length of the core extracted. [ Note: this could potentially be different from the depth of snow, see next]

Inspect the cutter end of the tube for dirt or litter, with gloves on carefully remove soil and litter from the core. If need be correct the length of the core extracted by subtracting the depth of the soil or litter (plug). Record adjusted core length and litter/soil observations on the field data sheet.

Carefully balance the corer containing the core on the weighing cradle.

- **Suspend the corer (like a pendulum) do not hold the corer tube or handles**

To ensure and accurate reading, gently tap the scale to be sure it is not sticking or binding.



**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

Read the weight of the tube and core from the graduations on the scale. The scale is marked in cm of water.

Record the weight of the corer and the core to the nearest one-half cm.

To collect the core, lift the tube from the cradle and turn cutter und up. Gently tap the corer and the extracted core will slide out the top end. Be sure to use a clean/new sample bag to catch the core sample.

- **Ensure all sample bags are clearly labelled with the station ID, sample type, date, and number of cores included in the composite**
- **Ensure all bags are sealed using a clean zip-tie**

Weigh the empty sampling tube following the first and at least every fourth sample as the weight will change as small particle of water or snow accumulate/cling to the inside and outside of the tube and checking will make the data more accurate. Record the weight of the empty corer on the field data sheet.

Subtract the weight of the empty tube from the weight of the tube and core to obtain the water content of the sample.

Density calculations can be completed back in the lab following the completion of the program.

**Density (g/cm<sup>3</sup>) = Total SWE Collected (g/cm<sup>2</sup>) / Total Snow Core Length Collected (cm)**

**\*assumes pure water density 1g/cm<sup>3</sup>**

Prior to moving to the next sampling location ensure the field datasheet is complete.

#### **6.4..5 Sample Processing**

Prior to processing, all samples must be kept in a frozen state to minimize sample degradation.

When preparing the samples for decanting and analysis, remove the sample bags from the freezer. Check to ensure that the top of the bag is well twisted and the zip-tie is tight. Place the sample bag into a new (clean) sample bag and affix a zip-tie to seal the second bag. This double bagging will help to ensure no sample is lost during the melting process. To process samples, they will require anywhere from 12-36 hours to thaw at room temperature.

Place the sealed sample bags upright in clean coolers in the lab to thaw overnight.

Once a sample is completely melted it is ready for processing.

**Environment**  
**STANDARD OPERATING PROCEDURE**  
**Snow Core Survey**

Sample volume can be determined using a scale accurate to 1g, set up scale, tare the sampling basin with two bags and 2 zip-ties. Place sample bags in the basin and record the weight of each of the bags on the field sheet.

Dust deposition samples will be processed in the DDMI Lab for TSS.

- **The entire volume of sample must be processed – this may require the use of multiple filters.**
- **For samples with large quantities of organics (twigs/leaves etc.) it may be necessary to sieve the sample through a course filter prior to processing.**
- **Given the possibility of the samples containing organic matter, sample filters will be dried in the high temperature oven (650°F) for 1hr to burn off any organics on the filter.**
- **Allow Samples to cool in the desiccator prior to weighing the filters.**

Snow Water Quality samples will be decanted to fill the appropriate (pre-labelled) Maxxam sample bottles as per standard water sampling procedures. Any excess sample water can be discarded.

#### **6.4..6 Sample Chain of Custody**

Samples will be shipped to Maxxam Analytics as per ENVR-206-0112 – CHAIN OF CUSTODY & SAMPLE SHIPPING – and accompanied by COC documentation.

## **7 QUALITY OUTCOMES AND EXPECTATIONS**

**7.1** To safely complete the tasks outlined in this SOP, without incident.

**7.2** Producing quality, accurate and repeatable results.

**APPENDIX G      QUALITY ASSURANCE/QUALITY CONTROL STANDARD  
OPERATING PROCEDURE (ENVR-303-0112)**

**ENVIRONMENT  
STANDARD OPERATING PROCEDURE**

<b>Area No.:</b>	<b>8000</b>	<b>Document #:</b>	<b>ENVR-303-0112</b>
		<b>Revision:</b>	<b>4</b>
<b>Task Title:</b>	<b>Quality Assurance/Quality Control</b>		
	Supersedes: ENV SOP 303		

**FOR DOCUMENT CONTROL USE ONLY:**

**Next Review: 1 year from Area Manager Authorized Signature Date below**

**Effective Date: See Area Manager Authorized Signature Date below**

## 1 REFERENCES/RELATED DOCUMENTS

- 1.1 **ENVI-656-0117 DDMI Environment Lab – Training** – Located in: P:\DDMI Environment\10.0 Operational Control\10.13 CALA Certification\Approved Quality Manual Documents\5.2 Training
- 1.2 **ENVR-301-0112 – SOP- General Laboratory Safety** - Located in: Diavik Intranet – SOPs – Environment Folder
- 1.3 **ENVR-206-0112 - SOP- Chain of Custody & Sample Shipping** - Located in: Diavik Intranet – SOPs – Environment Folder
- 1.4 **ENVI-133-0112 - Aquatic Effects Field Sheet** - Located in: P:\DDMI Environment\10.0 Operational Control\10.2 Forms\Current Forms\Approved\Water Quality Forms
- 1.5 **ENVI-134-0112 – 1645-19 SNP Monitoring Field Sheet** – Located in: P:\DDMI Environment\10.0 Operational Control\10.2 Forms\Current Forms\Approved\Water Quality Forms
- 1.6 **ENVI-668-0117 DDMI Environment Lab – Equipment Management** - Located in: P:\DDMI Environment\10.0 Operational Control\10.13 CALA Certification\Approved Quality Manual Documents\5.5 Equipment
- 1.7 **ENVI-669-0117 DDMI Environment Lab – Measurement Traceability** - Located in: P:\DDMI Environment\10.0 Operational Control\10.13 CALA Certification\Approved Quality Manual Documents\5.6 Measurement Traceability
- 1.8 **ENVI-653-0117 DDMI Environment Lab – Record Control** - Located in: P:\DDMI Environment\10.0 Operational Control\10.13 CALA Certification\Approved Quality Manual Documents\4.13 Record Control
- 1.9 **ENVI-650-0117 DDMI Environment Lab – Document Control** - Located in: P:\DDMI Environment\10.0 Operational Control\10.13 CALA Certification\Approved Quality Manual Documents\4.3 Document Control
- 1.10 **ENVR-403-0112 – SOP Total Suspended Solids Analysis** - Located in: Diavik Intranet – SOPs – Environment Folder

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Control/Quality Assurance**

**1.11 ENVR-404-0112 – SOP pH Analysis** - Located in: Diavik Intranet – SOPs – Environment Folder

**1.12 ENVR-405-0112 – SOP Turbidity Analysis** - Located in: Diavik Intranet – SOPs – Environment Folder

**1.13 ENVR-604-0112 – SOP Field Meter** - Located in: P:\DDMI Environment\10.0 Operational Control\10.1 SOPs\Working SOPs

<b>Revision History</b>			
<b>Revision</b>	<b>Revision Description</b>	<b>Date of Revision</b>	<b>Author</b>
0	Initial Release	01-Jan-12	D. Grabke
1	Formatting	08-Dec-15	D. Birch
2	Revision of QC schedule and measures	29-May-16	N. Goodman
3	CALA Updates	15-Dec-16	N. Goodman
4	Update to template, area manager and CRM	21-Oct-17	A. Hehn

<b>Authorized Electronically in Documentum By:</b>	
<b>Area Superintendent:</b>	D. Wells
<b>Area Manager:</b>	J. Kozian

(Document owners will be prompted annually to update content; however, changes may or may not result.)

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
 Quality Assurance/Quality Control

**CRITICAL RISKS ARE HIGHLIGHTED IN GREY**

<p>Please click on the CRM Risks that are applicable for this SOP</p>	 Aircraft transport	 Confined spaces	 Contact with electricity
 Drowning	 Entanglement and crushing	 Exposure to hazardous substances	 Fall from height
 Falling objects	 Lifting operations	 Slope failure	 Uncontrolled release of energy
 Underground fire	 Underground hazardous atmosphere	 Underground inrush	 Underground rock fall
 Unplanned initiation of explosives	 Vehicle collision or rollover	 Vehicle impact on person	 Wildlife

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

Internal QA/QC
LABBW
LDUPW1/ LDUPW2
DUPRDGS
EBINT

External QA/QC KEY		
-1	=	EBW
-2	=	FBW
-3	=	TBW
-4	=	DUPW1
-5	=	DUPW2
-6	=	DLS

**Description**

This SOP reviews the quality assurance and quality control measures we use to ensure best practices are being utilized while collecting and analysing samples.

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

## 2 PURPOSE

The Objective of this Standard Operating Procedure is to establish consistent and uniform criteria and procedures to be implemented for laboratory activities undertaken during water quality analysis to ensure environmental data generated and processed is scientifically valid.

This SOP is intended to define Environmental Quality Assurance (QA) and Quality Control (QC) measures in place to ensure all data generated in the DDMI Environment Laboratory shall be of known precision and accuracy, be complete, representative, and comparable.

## 3 SCOPE

### 3.1 Scope of Procedure

This procedure applies to all Diavik Diamond Mines personnel and contract personnel authorized by the Environment Superintendent to collect, analyse and ship samples. All persons conducting analyses in the DDMI laboratory are required to read, understand, and fully comply with the methods outlined in the SOP for each analytical test conducted, respectively.

This procedure has been developed to be consistent with the requirements of the Rio Tinto HS & E standards.

## 4 DEFINITIONS

Definitions							
PPE	✓	GPS	✓	DO	✗	NTU	✗
MSDS	✗	SOP	✓	DI Water	✗	ELT	✓
Problem Bear	✗	JHA	✓	AEMP	✗	WLWB	✗
QA	✗	Groundwater	✗	COC	✗	PAL	✗
QC	✗	Seepage	✗	WHMIS	✗	ACTS	✗
Remote Work	✓	SNP	✗	TSS	✗	PROVE	✗
TSP	✗						

See: ENVI-443-0415 - Environment Term Definitions - Located in: Diavik Intranet – SOPs – Environment Folder



**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

**5 RESPONSIBILITIES**

See ENVI-444-0415 - Environment Roles and Responsibilities - Located in: Diavik Intranet – SOPs – Environment Folder

**6 PROCEDURE****6.1 Key Safety Aspects**

<b>Task Hazards</b>							
Slip, Trip, Fall	✓	Chemical Contact	✗	Rotating Parts	✓	Uneven Terrain / Ground	✓
Sprain / Strain	✓	Fall into Water	✗	Firearms / Deterrents	✓	Perception	✗
Working Remotely	✓	Overhead Objects	✗	Dehydration	✗	Risk to Wildlife	✓
Aircraft	✓	Visibility	✗	Ergonomics	✗	Unfamiliar Area	✗
Watercraft Operation	✗	Fire	✗	Glass	✗	Falling	✗
Snowmobile Operation	✗	Line of Fire	✓	Fumes / Gases	✓	Confined Space	✗
Light Vehicle	✗	Cuts Scrapes	✗	Entanglement	✗	Heavy Equipment	✗
Lifting	✗	Pinch Points	✓	Stored Energy	✗	Extreme Weather	✓
Manual Labour	✗	Noise	✓	Burns	✗	Electrical	✗
Wildlife	✓	Spills	✓	Equipment Loss or Damage	✗	Sample Loss or Damage	✗

See: ENVI-445-0415 - Environment Hazard Definitions - Located in: Diavik Intranet – SOPs – Environment Folder

**6.2 CRM Critical Risks**

Critical Risk	Critical Control
N/A	N/A

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

### 6.3 Procedural Steps

#### 6.3.1 Quality Assurance (QA)

Quality assurance for the environmental laboratory encompasses all quality-related activities that ensure the validity of aquatics testing and analysis and all relevant technical support. All DDMI environment personnel, from management to field laboratory technicians, are required to conscientiously follow applicable quality control measures and standard operating procedures (SOPs). Adherence to these documents, combined with staff vigilance, can help ensure that the analytical data and other test results collected will be acceptable as the bases for making significant decisions.

The DDMI laboratory (“the lab”) encompasses a broad range of activities including preparation of samples for internal analytical processing, calibration and maintenance of equipment, data management, and sample handling for external analysis.

Our approach to quality assurance places an emphasis on four aspects:

- Infrastructure (instruments, testing capabilities, calibrations, SOP’s)
- Control Measures (internal/external)
- Personnel (competence, ethics, and integrity)
- Data Management/Control of Non-Conforming Work

The quality of the outputs is at risk if any of these four aspects are deficient in any way.

#### 6.3.2 Infrastructure

##### 6.3.2.1 Equipment

All equipment is to be maintained and operated in accordance with manufacturer instructions and SOPs. Modifications to equipment/equipment settings/any issues are to be recorded in the spreadsheet in the relevant Equipment folder, which is accessible to all staff and should be regularly consulted during troubleshooting, as per [ENVI DDMI Environment Lab – Equipment Management](#).

##### 6.3.2.2 Testing Capabilities

Continued testing capability is verified through a regular (semi-annual) program of Proficiency Testing (PT). Environmental conditions within the lab (such as sample storage areas, as well as within test-specific equipment such as ovens and desiccators) shall be maintained such that the exact requirements of specific methods are met and testing capability is not impaired.

Furthermore, lab management has a responsibility to review new editions of external method reference documents (such as the Standard Methods) whenever a new edition is released to ensure continued consistency with internationally approved best practice.

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

### 6.3.2.3 Calibrations

Calibrations are performed regularly on all pieces of lab equipment with the potential to impact test results, following a predefined schedule and bearing traceability to SI units wherever possible. When performed internally, calibrations are always done in accordance with method SOPs. All observations and maintenance actions must be reported in the QA/QC Lab Performance logbook.

The logbook must also keep record of the instrument calibration history. Calibration records for fixed and portable laboratory measuring equipment, and individual monitoring devices, shall be maintained and include dates, personnel, and specifics of calibration standards and reference solutions. Instrument calibration procedures and schedules are clearly outlined in individual SOP's.

More details on calibrations and calibration records are available in [ENVI-669-0117 R0 DDMI Environment Lab – Measurement Traceability](#), [ENVI-670-0117 RO DDMI Environment Lab – Record Control](#), and [ENVI 650-0117 R0 DDMI Environment Lab – Document Control](#)

### 6.3.2.4 Purchasing and Verifying Supplies and Services

Services and supplies that affect the quality of tests and/or calibrations shall be purchased only from suppliers that have been investigated and approved. Suppliers shall only be approved when they have been verified as complying with standard specifications or requirements defined in the methods for the tests and/or calibrations concerned. All received supplies will be compared against their accompanying purchase documents, and their reception and specifications must be recorded. Supplies must be verified prior to use according to [ENVI-651-0117 DDMI Environment Lab – Purchasing Supplies and Services](#)

### 6.3.3 Internal Quality Control (QC) Measures

Laboratory quality control consists of both internal and external checks on precision and accuracy of analytical results. Employees are trained in quality control and good lab practices through the lab analyst certification process (ENVI-560-0616, ENVI-561-0616, ENVI-562-0616). An annual performance evaluation ensures that the integrity of analytical procedures remains intact.

Best practices in water quality monitoring dictate that QC samples will comprise at least 10% of all samples analyzed, and more as required to maintain assurance of quality across homogenous sampling matrices and conditions. Due to high sample volumes, the DDMI Environment department performs more than 10% internal QC in order to ensure that any errors or sources of contamination in procedures or equipment are caught immediately. No batch of samples is ever analyzed without some form of internal QC (at least a Lab Blank, below).

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

Internal Quality Control sample types (descriptions below) consist of: Lab Blanks (LBW), Lab Duplicates (LDUPW1/LDUPW2), Duplicate Readings (DUPRDGS), Laboratory Splits (DLS), and Internal Equipment Blanks (EBINT). Results of Internal Quality Control samples are recorded as per [ENVI-670-0117 RO DDMI Environment Lab – Record Control](#), and reviewed by Environment Supervisors to detect trends.

#### **Lab Blanks (LABBW)**

A laboratory blank is a sample comprised of deionised (DI) water, prepared in the lab, which remains in the lab for analysis. This blank is exposed to any and all reagents that are used in the analytical process and is carried through the entire analytical processes including any filtration required. Lab blanks may identify unsuspected contaminants associated with DI water purity, improper cleaning procedures, filters or air contaminants in the lab. LABBW are the most frequent form of QC at DDMI and occur every day that samples are analyzed.

#### **Lab Duplicates (LDUPW1/LDUPW2)**

A laboratory duplicate consists of a single sample to be analyzed twice internally (using the same techniques) as though it is two separate samples. The entire lab procedure is repeated twice, using two separate aliquots of water poured from the same sample bottle. Lab duplicates evaluate analytical precision and sample homogeneity, as well as consistency of lab and operator procedures. LDUPW1/LDUPW2 are the most frequent form of QC at DDMI and occur every day that samples are analyzed.

\*in Monitor Pro 5 (MP5), under regular sample data entry, the sample that is to be the LDUP is assigned a sample type of "LDUPW1." Then, in the data entry section for that day's LDUPW1/LDUPW2, the corresponding sample site is to be assigned a sample type of "LDUPW2."

#### **Duplicate Readings (DUPRDG)**

Duplicate readings are intentionally obtained during the analysis of samples, with a single sample being read twice. The only aspect of the lab procedure to be repeated is the actual measurement, with sample preparation occurring only once on a single sample. Variability between duplicate readings can be attributed to instrumentation or operator error, rather than variation in the sample. Note that field meters are included in DUPRDGS.

#### **Allowable Discrepancy Limits between LDUPWs and DUPRDGs**

If the relative percent difference (RPD) exceeds 20% when analyte concentrations are  $\geq 5$  times the detection limit (DL), the environment supervisor must be informed so that the data can be flagged and sampling/analytical methods and instrumentation performance can be reviewed. Relevant DLs for DDMI laboratory analysis are:

TSS – 0.3mg/L

Turbidity – 0.15 NTU

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

Conductivity – 0.9uS/cm

pH has no applicable detection limit.

**Laboratory Splits (DLS)**

A laboratory split consists of a single sample divided into two aliquots, one to be analyzed internally, and the other to be sent to an external lab using the same techniques to analyze their aliquot so that the two results would be compared. Variability of results must be considered carefully in light of analyte hold times. RPD between duplicate samples will be assessed by environment supervisor.

**Equipment Blanks, Internal (EBINT)**

An aliquot of DI water is subjugated, in the DDMI Environmental Laboratory, to all aspects of sample collection and analysis, using the same procedures that are utilized in the field, including contact with all sampling devices and apparatus (e.g. tubing, jars, samplers, filters). The purpose of the equipment blank is to determine if the sampling devices and apparatus for sample collection have been adequately cleaned before they are utilized at the field sampling location

**6.3.4 Internal QC Scheduling**

DDMI Environment internal QC falls under two schedules: Station-Dependent Internal QC and Station-Independent Internal QC. Station-Dependent Internal QC is tied to different sample matrices and is included in regular sampling schedules in MP5 (ex. samplers will be required to complete one EBINT with every set of monthly pond sampling.)

<b>Station-Dependent Internal QC</b>		QC Frequency per sampling event		
<b>Sample Matrix</b>	<b>Sampling Frequency*</b>	<b>EBINT</b>	<b>DLS</b>	<b>DUPRDGS</b>
Ponds	Monthly	Every event	none	none
Diffuser	Monthly	Every event	none	none
PKC	Monthly	n/a	1 in 4	1 in 4
UG /clarifiers	Biweekly	n/a	none	none
NIWTP Influent/Effluent	6 days	n/a	none	none

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

\*Note that sampling frequency refers to the frequency with which the entire set of samples is taken, and not the number of sites sampled (ex. the monthly pond sampling includes **10** sample sites but comprises **1** sampling event.)

Station-Independent Internal QC is not tied to any particular sample matrix and QC sample types are scheduled as stand-alone events in MP5.

Station-Independent Internal QC	Frequency
LABBW	Daily when samples collected
LDUPW	Daily when samples collected

### 6.3.5 External Quality Control (QC) Measures

**External QC** samples comprise ~ 10% of all samples analyzed and are spaced across sampling matrices and sample events to capture as much process homogeneity as possible. With the exception of Trip Blanks (below), external quality control samples are prepared by DDMI Environment staff, who subjugate them to the relevant procedures. All external QC samples are then shipped off-site to a qualified external laboratory, where all analysis is conducted.

External QC sample types consist of Trip Blanks (TBW), Equipment Blanks (EBW), Field Blanks (FBW), and Duplicates (DUPW1/DUPW2). Results of External Quality Control samples are recorded as per [ENVI-670-0117 RO DDMI Environment Lab – Record Control](#), and reviewed by Environment Supervisors to detect trends.

#### Trip Blanks (TBW)

A Trip Blank is an aliquot of laboratory grade distilled water, which is received from an external lab, in the same type of container that is required for the analytical test. The trip blank is sealed and labelled in the external lab from which it originates. Upon our receipt of the trip blanks they are to be stored, sealed, at ~ 4°C until such a time as they are to be utilized (no longer than 1 month). When utilized, trip blanks travel with the sampling cooler from the laboratory to the sampling site and back to the laboratory without being opened. The trip blank is then packaged and shipped to the originating laboratory to be analyzed. The purpose of the trip blank is to verify that no sample contamination occurred during transportation or sampling operations.

#### Equipment Blanks (EBW)

An aliquot of DI water is subjugated, in the Environment laboratory, to all aspects of sample collection and analysis, using the same procedures that are utilized in the field, including contact with all sampling devices and apparatus (e.g. tubing, jars, samplers, filters). The purpose of the equipment blank is to determine if the sampling devices and

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

apparatus for sample collection have been adequately cleaned before they are utilized at the field sampling location.

### Field Blanks (FBW)

An aliquot of DI water is subjugated, in the field, to all aspects of sample collection and analysis, using the same procedures that are utilized in the field, including contact with all sampling devices and apparatus (e.g. tubing, jars, samplers, filters). The purpose of the field blank is to demonstrate that sample contamination has not occurred during field sample collection and processing.

### Duplicates (DUPW1/DUPW2)

Co-located samples are independent samples collected as close as possible to the same point in space and time and are intended to assess precision of the entire program (field and laboratory components). The use of replicates for this purpose assumes that the variability between DUPW1 and DUPW2 is affected by the sampling method or technician. In most cases natural variability between samples collected in close succession will be low. When performing duplicate samples, the second sample will consist of each bottle that is regularly collected for that station, including the DDMI internal routine bottle.

\*in MP5, under regular sample data entry, the sample that is to be the DUPW is assigned a sample type of "DUPW1." Then, in the data entry section for that day's DUPW1/DUPW2, the corresponding sample site is to be assigned a sample type of "DUPW2."

### 6.3.6 External QC Scheduling

DDMI Environment external QC is entirely station-dependent, and QC types have different frequencies for each sample matrix that are programmed into MP5.

<b>External QC</b>		QC Frequency per sampling event				
<b>Sample Matrix*</b>	<b>Sampling Frequency</b>	<b>DUPW</b>	<b>FB</b>	<b>TB</b>	<b>EB</b>	<b>Total % External QC (all types)</b>
Ponds	Monthly	1 in 2	1 in 6	1 in 6	1 in 3	<b>11.7</b>
Diffuser	Monthly	1 in 1	1 in 6	1 in 6	1 in 3	<b>11.1</b>
PKC	Monthly	1 in 2	1 in 8	None	n/a	<b>12.5</b>
UG /clarifiers	Biweekly	1 in 6	1 in 6	1 in 12	n/a	<b>10.4</b>

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

NIWTP Influent/Effluent	6 days	1 in 6	1 in 12	1 in 12	n/a	<b>11.1</b>
<b>Total QC type per month**</b>		<b>3.16</b>	<b>1.21</b>	<b>0.91</b>	<b>0.66</b>	<b>5.94 QC/month</b> <b>11.2 % Ext. QC</b>

\*See ENVR-477-0815 – SOP A21 DCMP for A21 QC instructions/schedule

\*\*Again, note that sampling frequency refers to the frequency with which the entire set of samples is taken, and not the number of sites sampled (ex. the monthly pond sampling includes **10** sample sites but comprises **1** sampling event.)

## 6.4 Data Management

### 6.4.1 External Sample Tracking – Chain of Custody

All samples collected, packaged and shipped to external laboratories are tracked via Chain of Custody documentation. The CoC record is used to document change in possession from sampling to delivery to receipt by the external analytical laboratory. CoC procedures are clearly outlined in ENVR-206-0112 - SOP- Chain of Custody.

### 6.4.2 Internal Sample Tracking

All samples collected are documented in Monitor Pro 5 on the Environment iPads as per the regular sampling schedule.

### 6.4.3 Data Recording/Record Keeping

The lab has a procedure in place ([ENVI-670-0117 RO DDMI Environment Lab – Record Control](#)), to ensure accurate and appropriate record keeping and review of records.

### 6.4.4 Data Reporting

Immediately following laboratory analyses, all records are transferred from the applicable field sheets, to their respective electronic databases.

Laboratory supervisors will regularly review the electronic databases to ensure that laboratory recordkeeping meets the aforementioned elements. Results can then be queried and exported as required from MP5 for reporting purposes.

Reporting considerations for individual methods can be found both in individual Method Validations and summarized in method SOPs.



**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

### **6.5 Control of Nonconforming Testing and/or Calibration Work**

The lab has procedures in place to define responses to nonconforming test or calibration work or results ([ENVI-652-0117 DDMI Environment Lab – Control of Nonconformances](#)) Testing and/or Calibration Work). This procedure covers responsibility and authority pertaining to management of nonconforming work, evaluation of non-conformance significance, and guidelines for corrective action. Environment Supervisors are to ensure that all employees are trained in this procedure.

#### **6.5.1.1 Corrective and Preventive Action**

The laboratory has procedures ([ENVI-652-0117 DDMI Environment Lab – Control of Nonconformances](#)) in place to provide guidelines for both corrective action (as per 6.4, above, and also pertaining to departures from policies and procedures in the management system or technical operations). Procedures also provide guidance on identifying and incorporating preventive action (addressing needed improvements and potential sources of management or technical nonconformities).

#### **6.5.1.2 Continual Improvement**

The laboratory shall continually improve the effectiveness of its QAQC system and produced data through the use of the quality policy, quality objectives, audit results, analysis of data, corrective and preventive actions and management review.

### **6.6 Personnel**

#### **6.6.1 Competency – Certification of Analyst Proficiency**

Certification of Analyst Proficiency is the process for assessing and recognizing the technical competence and the effective quality processes of the DDMI Environment Laboratory and staff.

Staff proficiency means that an individual is capable of performing specified test methods and procedures correctly, and familiar with all related policies and procedures pertaining to lab quality as referenced in the Quality Manual. Staff will be trained and tested so as to document their competence for the range of activities they will be expected to perform in the lab, in accordance with all method SOPs.. A performance evaluation will be conducted annually at a minimum, to ensure that staff are fully trained and competent.

Details on staff training are available in [ENVI-656-0117 R0 DDMI Environment Lab – Training](#).

**ENVIRONMENT**  
**STANDARD OPERATING PROCEDURE**  
**Quality Assurance/Quality Control**

### 6.6.2 Ethics

Ethics is a set of moral principles, code for right and wrong, or behaviour which conforms to acceptable professional practices.

**All employees at all times shall conduct themselves in an honest and ethical manner.**

Examples of unethical behaviour include but are not limited to the following:

- Improper manipulation of data or software
- Improper handling of data errors, non-compliant data, or QC outliers
- Lack of reporting unethical behaviour of others
- Artificially fabricating results
- Misrepresenting data such as peak integration, calibration, tuning, or system suitability
- Improper clock setting to meet holding times
- Intentional deletion of non-compliant data

An employee must report any suspected unethical behaviour or fraudulent activities to the Environment Supervisor.

## 7 QUALITY OUTCOMES AND EXPECTATIONS

**7.1** To safely complete the tasks outlined in this SOP, without incident.

**7.2** Producing quality, accurate and repeatable results.

---

**ERM has over 160 offices across the following countries and territories worldwide**

Argentina	The Netherlands
Australia	New Zealand
Belgium	Norway
Brazil	Panama
Canada	Peru
Chile	Poland
China	Portugal
Colombia	Puerto Rico
France	Romania
Germany	Russia
Ghana	Senegal
Guyana	Singapore
Hong Kong	South Africa
India	South Korea
Indonesia	Spain
Ireland	Sweden
Italy	Switzerland
Japan	Taiwan
Kazakhstan	Tanzania
Kenya	Thailand
Malaysia	UAE
Mexico	UK
Mozambique	US
Myanmar	Vietnam

**ERM's Vancouver Office**

1111 West Hastings Street, 15th Floor  
Vancouver, BC  
Canada V6E 2J3

T: +1 604 689 9460

F: +1 604 687 4277

[www.erm.com](http://www.erm.com)